



FOLLOW US

Discover.

Inspiration in the right angle.

#FEELMOREWOW

G*GRASS®

MOVEMENT SYSTEMS, FITTINGS AND ACCESSORIES

07/2023

We operate all over the world, wherever our customers call home.

Because customer proximity is an expression of our corporate culture.



Developing complex movement systems takes an efficient team combined with the passion and desire to work together and transform ideas into something new. This is our traditional way of thinking at GRASS. **Movement is our passion.**



The GRASS Group is a globally successful corporate group, a traditional yet fresh brand with an impressive variety of perspectives. With around 1860 employees across 19 locations and more than 200 sales partners in 60 countries, GRASS ranks among the world's leading specialists in movement systems.

Sales and production

locations in Germany
Production Facility, Reinheim
Sales Office, Reinheim
Sales Office, Voralberg

Locations in Austria:

Logistics Centre, Hohenems
Sales Office, Hohenems
Production Facility, Höchst
Production Facility, Götzis
Production Facility, Salzburg

State-of-the-art customer and logistics centre

With a total investment of 70 million euros, the customer and logistics centre is not only the largest investment in the company's history, but also the most modern distribution centre in the Würth Group. The figures for the new logistics site speak for themselves: The eleven-aisle high-bay warehouse is 22 levels tall, with over 600 racking uprights to accommodate almost 38,000 pallet storage spaces. The site incorporates over 5000 tonnes of steel, and the longest façade measures more than 180 metres. The building covers an area of 11,150 m².



New hybrid picking system ensures optimum loading and unloading.

A custom warehouse management system has been developed for GRASS, featuring a material flow computer, forklift control system and mobile device integration. This system operates independently in the incoming goods area: when trucks dock, the fully automatic system accepts the pallets via a state-of-the-art floor conveyor without human intervention. A truck can be completely unloaded in just two minutes with this process. For outgoing goods, orders are presequenced using two separate, double-deep shipping buffers. Items for an order are removed "heavy before light" in order to optimise loading onto the truck.



Since 2004, GRASS has been part of the international Würth Group, which has an annual turnover of more than 19 billion euros and is the world leader in the trade of assembly and fastening materials.

MEMBER OF THE
WÜRTH  GROUP

QUALITY@GRASS

Quality begins with development.

Ideas can only become innovations if they can be produced in series at the highest level. Our engineers rely on all the benefits of modern development and production technology to manufacture these product ideas. Production and development departments work closely together across locations to guarantee the continuous optimisation of all production processes.



"We recognise our responsibility to provide customers with the outstanding product quality they expect."

Werner Elender
COO GRASS Group

QUALITY@GRASS

Technical precision, durability, functionality, design and environmental consciousness all come together to form a highly sophisticated quality standard.

For us, quality means ensuring that each movement system always meets the same reliable standards, so that each individual system fulfils the high demands. That's why only one thing counts for our experienced teams when it comes to quality: To ensure that GRASS products continue setting the standard in future through their quality and excellence across the board when it comes to technology, design, reliability and longevity.



The packaging plant at the Götzis site uses two separately controlled robotic arms to process around 110 different packaging variants. With a cycle rate of just six seconds per slide set, the system's performance range ensures high efficiency – whether handling single boxes or outer packaging.




Exceptional products call for state-of-the-art production and testing facilities.


State-of-the-art machinery helps our highly qualified employees to create outstanding products. This includes state-of-the-art production lines, cutting-edge welding robots and automatic punching machines which, with a pressing force of several tonnes, can form the thickest sheet metal and feed the parts directly into the automatic assembly line without any further post-processing. Numerous testing and control stations integrated into the production lines use SPC (Statistical Process Control) to monitor consistent quality excellence, which forms the basis for a high level of customer satisfaction.

For us, development and production are seamlessly integrated. It is this belief that helps us transform ideas into new products.

Ideas can only become innovations if they can be produced in series at the highest level. Our engineers rely on all the benefits of modern development and production technology to manufacture these product ideas. Production and development departments work closely together across locations to guarantee the continuous optimisation of all production processes. After all, GRASS products are a promise that must be kept day after day.



We produce tens of thousands of movement systems in our plants every day. To ensure that these systems meet our high quality management requirements, each product line is thoroughly tested on site. Our high internal standards, test procedures based on DIN and LGA and testing by independent institutes ensure systematic quality assurance.



QUALITÄTS-ZERTIFIKAT
LGA



Photo: Rote Wand, Vorarlberg

Because we live and work in one of the most beautiful regions in the world, we share a responsibility to conserve natural resources.



Green power: In-house combined heat and power plant in Höchst.

With an output of 2000 kWh, the combined heat and power plant covers 75% of our electrical energy requirement. The waste heat can then be used to heat the premises or, in summer, to provide a substantial proportion of the cooling capacity via the absorption refrigerator.



GRASS drawer systems are almost 100% recyclable and do not contain any hazardous substances or substances specified in the REACH regulation*.

We see the present as part of the future.

Active involvement in environmental protection is an important prerequisite for long-term company success. Working with this mindset means conserving resources and creating ecologically sound production conditions. We have high expectations of ourselves, and our efforts to keep our ecological footprint as low as possible require a continuous improvement process that incorporates all areas of the company.

* Substances of very high concern on the candidate list for approval in the EU.

For GRASS, environmental protection is a fundamental corporate objective. Taking personal responsibility is part of our identity.



Since 2010, the GRASS Group's international environmental management system has been certified according to ISO 14001. GRASS's strong environmental commitment and dedicated projects dating back many years are entirely rooted in **our love of nature.**



**CO2 savings:
640 tonnes
per year.**

Extensive energy efficiency measures have significantly reduced our CO₂ emissions.



**Recycling of
steel waste.
6650 tonnes
per year.**

100% of steel waste generated during production is recycled.

**Heat requirements reduced
through heat
recovery.**

Compressor and exhaust gas heat exchange systems with a total output of over 3000 kW also improve our carbon footprint.



**Energy savings:
18% reduction
in power consumption.**

Reduction in overall electricity demand from 62 million kWh to 51 million kWh per year in the last 5 years.

**40% waste
reduction:
640 tonnes
per year.**

The volume of non-recyclable waste has been reduced from 1530 tonnes to 905 tonnes per year.



GRASS SOUTH AFRICA

This catalogue consists of some products not produced by GRASS, but distributed and supplied by GRASS South Africa.

For further information on GRASS products refer to our International catalogue - www.grass.eu

MOVEMENT SYSTEMS | FITTINGS & ACCESSORIES CATALOGUE 2023





| | |
|---|---------|
| VIONARO DRAWER SYSTEM | 11 |
| NOVA PRO SCALA DRAWER SYSTEM | 12 |
| NOVA PRO SCALA STORAGE SYSTEM | 13 |
| NOVA PRO SOLUTION SYSTEMS | 14 |
| DWD XP DRAWER SYSTEM | 15 |
| DYNAMOOV/DYNAPRO DRAWER SYSTEM | 16 |
| DYNAPRO BASE MOUNT DRAWER SYSTEM | 17 |
| INTEGRA DRAWER SYSTEM | 18 |
| KINVARO FLAP-UP/FLAP-DOWN SYSTEMS | 19 - 21 |
| TIOMOS HIDDEN HINGE | 22 |
| TIOMOS M SERIES HINGE | 23 |
| TIOMOS HINGE SOFT-CLOSE | 24 - 25 |
| NEXIS CLICK-ON HINGE | 26 - 27 |
| NEXIS SLIDE-ON HINGE | 28 - 29 |
| OMNI CLICK-ON HINGE SOFT-CLOSE | 30 - 31 |
| OMNI CLICK-ON/SLIDE-ON HINGE | 32 - 33 |
| OMNI TIPMATIC/SOFT-CLOSE ACTIVATOR | 34 |
| OMNI SLIDE SYSTEMS | 35 |
| ORGANISING SYSTEMS - TAVINEA SORTO/TAVINEA OPTIMA | 36 - 39 |
| CUTLERY INSERTS | 40 |
| RUBBER MATTING | 41 |
| HANDLE PROFILES | 42 - 44 |
| VCUBE AND VWALL | 45 - 47 |
| SLIDING DOOR SYSTEM | 48 - 54 |
| DISPLAY WINE SYSTEMS | 55 - 60 |
| SIGE LARDER PULL-OUT | 61 - 62 |
| SIGE PULL-OUT SHELF | 63 |
| SIGE ROTATION CORNER | 64 |
| SIGE PULL-OUT CORNER | 65 |
| SIGE PULL-OUT BASE 150 MM AND 300 MM | 66 - 67 |
| SIGE LAUNDRY BIN | 68 |
| ACCESSORIES FOR NOVA PRO SCALA DRAWERS | 69 |
| SIGE RECYCLE BINS | 70 - 71 |
| SIGE WASTE BINS | 72 |
| ITALIANA FERRAMENTA PUSH TO OPEN / LIBRA H11 / K-LINE | 73 - 75 |
| AMBOS WARDROBE LIFT | 76 |
| OMNI ACCESSORIES | 77 - 80 |
| OMNI KNOCK DOWN FITTINGS | 81 - 82 |



| DEPTH | HEIGHT | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|----------|
| | 63 MM | 89 MM | 121 MM | 185 MM | 249 MM | |
| 270 | - | ■ | - | - | - | GRAPHITE |
| 350 | - | ■ | ■ | ■ | - | GRAPHITE |
| 400 | - | ■ | ■ | ■ | - | GRAPHITE |
| 450 | ■ | ■ | ■ | ■ | ■ | GRAPHITE |
| 500 | ■ | ■ | ■ | ■ | ■ | GRAPHITE |



| DEPTH | HEIGHT | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
| | 63 MM | 89 MM | 121 MM | 185 MM | 249 MM | |
| 270 | - | ■ | - | - | - | WHITE |
| 350 | - | ■ | ■ | ■ | - | WHITE |
| 400 | - | ■ | ■ | ■ | - | WHITE |
| 450 | ■ | ■ | ■ | ■ | ■ | WHITE |
| 500 | ■ | ■ | ■ | ■ | ■ | WHITE |



| DEPTH | HEIGHT | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
| | 63 MM | 89 MM | 121 MM | 185 MM | 249 MM | |
| 400 | - | ■ | - | - | - | SILVER |
| 450 | - | ■ | - | ■ | - | SILVER |
| 500 | - | ■ | - | ■ | - | SILVER |

FEATURES: Slim 13 mm drawer side
4D Adjustment
90° straight interior and exterior sides

Tool free front assembly
Available in 3 colours
Available in 5 heights

Available in 40 kg and 70 kg
Fully synchronized slides
Can use same dynapro runner for wooden box and metal sides





| DEPTH | HEIGHT | | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|--------|
| | 63 MM | 90 MM | 122 MM | 140 MM | 186 MM | 250 MM | |
| 270 | - | ■ | - | - | - | | STONE |
| 300 | - | ■ | - | - | ■ | | STONE |
| 350 | - | ■ | - | - | ■ | | STONE |
| 400 | ■ | ■ | - | - | ■ | | STONE |
| 450 | ■ | ■ | ■ | - | ■ | | STONE |
| 500 | ■ | ■ | ■ | ■ | ■ | ■ | STONE |
| 550 | - | ■ | ■ | | ■ | ■ | STONE |



| DEPTH | HEIGHT | | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|--------|
| | 63 MM | 90 MM | 122 MM | 140 MM | 186 MM | 250 MM | |
| 270 | - | ■ | - | - | - | | ICE |
| 300 | - | ■ | - | - | ■ | | ICE |
| 350 | - | ■ | - | - | ■ | | ICE |
| 400 | ■ | ■ | - | - | ■ | | ICE |
| 450 | ■ | ■ | ■ | - | ■ | | ICE |
| 500 | ■ | ■ | ■ | ■ | ■ | ■ | ICE |
| 550 | - | ■ | ■ | | ■ | ■ | ICE |




| DEPTH | HEIGHT | | | | | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
| | 63 MM | 90 MM | 122 MM | 140 MM | 186 MM | |
| 270 | - | ■ | - | - | - | SILVER |
| 350 | - | ■ | - | - | - | SILVER |
| 400 | - | ■ | - | - | - | SILVER |
| 450 | - | ■ | - | - | - | SILVER |
| 500 | - | ■ | - | ■ | ■ | SILVER |

FEATURES: Double wall drawer
Can be personalised with designer panels
Integrated height and side adjustment
Robust design and high level of stability

Optimum use of space due to straight inside surfaces and low construction width
Tool free installation and removal of drawer front
Width of bottom and back panel is the same

Available in 40 kg & 70 kg
Fully synchronised slides
Compatible with Tavinea Sorto





| DESCRIPTION | CODE | COLOUR | PACK SIZE |
|---------------------------------|---------------|--------|-----------|
| INSET PANEL 8MM CRYSTAL BRACKET | F102132468211 | STONE | SET |
| INSET PANEL 8MM CRYSTAL BRACKET | F102132469211 | WHITE | SET |
| INSET PANEL 8MM CRYSTAL BRACKET | F102132470211 | SILVER | SET |
| ACC FOR INSET PANEL | F102132471511 | STONE | SET |
| ACC FOR INSET PANEL | F102132472511 | WHITE | SET |
| ACC FOR INSET PANEL | F102132473511 | SILVER | SET |

FEATURES: Elegant design
 Low complexity of parts
 Easy to install
 Slide in front element is 6mm
 Slide in side element is 8mm
 Can be used with H186 and Crystal Plus drawer sides


PLANNING DIMENSIONS

All dimensions in millimetres

| Installation dimensions | Front panel profile H186 | High glass | | | | | | |
|-------------------------|---|--------------------------------------|---------|----|----|----|----|--|
| | | | | | | | | |
| | | Low glass | | | | | | |
| | | | | | | | | |
| | Slide | Cutting dimensions for cross profile | | | | | | |
| | <table border="1"> <tr> <td>S</td> <td>16 / 19</td> <td>18</td> </tr> <tr> <td>EB</td> <td>29</td> <td>30</td> </tr> </table> | S | 16 / 19 | 18 | EB | 29 | 30 | |
| S | 16 / 19 | 18 | | | | | | |
| EB | 29 | 30 | | | | | | |
| | <p>Note: Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 320 onwards).</p> | | | | | | | |

* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm





| DESCRIPTION | SIZE | FINISH |
|-------------------------------|-----------------|------------------------|
| NOVA PRO SCALA LAUNDRY DRAWER | 450 MM - 600 MM | STONE / WHITE / SILVER |

FEATURES: Up to 600 MM wide
Large high front
High drawer side of 250 MM
Tilt angle adjustment by means of railing
Suitable for all large container options eg. Dog food storage



| DESCRIPTION | SIZE | FINISH |
|-------------------------------------|-----------------|------------------------|
| NOVA PRO SCALA CUSTOM SPICE PULLOUT | 150 MM - 400 MM | STONE / WHITE / SILVER |

FEATURES: Spice and bottle pullout in custom widths
From 150 MM - 400 MM widths
2 or 3 tiers
Use with 63 MM, 90 MM, 122 MM and 186 MM drawer side heights
80 KG or 120 KG weight capacities



| DESCRIPTION | SIZE | FINISH |
|-------------------------------------|--------|------------------------|
| NOVA PRO SCALA RECYCLING BIN 450 MM | 450 MM | STONE / WHITE / SILVER |

FEATURES: Large high front
Cost effective bin system
Use with 90 MM 122 MM or 185MM drawer side heights
Tilt angle adjustment by means of railing
Litre capacity 35 L x 2



| DESCRIPTION | SIZE | FINISH |
|-------------------------------------|--------|------------------------|
| NOVA PRO SCALA RECYCLING BIN 500 MM | 500 MM | STONE / WHITE / SILVER |

FEATURES: Large high front
Cost effective bin system
Use with 250 MM high drawer side heights
Tilt angle adjustment by means of drawer side
Litre capacity 35 L x 2



| DRAWER TYPE | DRAWER LENGTH NL | COLOUR |
|----------------|------------------|--------|
| DWD XP H95 | 275 | GREY |
| | 400 | GREY |
| | 450 | GREY |
| | 500 | GREY |
| RAILSET ROUND | 400 | GREY |
| | 450 | GREY |
| | 500 | GREY |
| RAILSET SQUARE | 450 | GREY |
| | 500 | GREY |



| DRAWER TYPE | DRAWER LENGTH NL | COLOUR |
|----------------|------------------|--------|
| DWD XP H95 | 275 | WHITE |
| | 400 | WHITE |
| | 450 | WHITE |
| | 500 | WHITE |
| RAILSET SQUARE | 400 | WHITE |
| | 450 | WHITE |
| | 500 | WHITE |



| DRAWER TYPE | DRAWER LENGTH NL | COLOUR |
|----------------|------------------|--------|
| DWD XP H95 | 400 | STONE |
| | 450 | STONE |
| | 500 | STONE |
| RAILSET SQUARE | 400 | STONE |
| | 450 | STONE |
| | 500 | STONE |

FEATURES: Double wall drawer
40 kg + 60 kg
2D Adjustment

Fully synchronised
Full extension
Width of bottom and back panel is the same

Compatible with Tavinea Sorto





| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD + 1D LOCKING DEVICE |
|------------------------------|------------------|---------------|----------------------------|
| DYNAMOOV SOFT-CLOSE 30 KG | 270 | F130107761211 | F134101220 |
| | 300 | F130107764211 | F134101220 |
| | 350 | F130107768211 | F134101220 |
| | 400 | F130107772211 | F134101220 |
| | 450 | F130107776210 | F134101220 |
| | 500 | F130107780210 | F134101220 |
| | 550 | F130107784210 | F134101220 |


| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD + D LOCKING DEVICE |
|----------------------------|------------------|---------------|---------------------------|
| DYNAMOOV TIPMATIC 30 KG | 300 | F130101115211 | F134101220 |
| | 350 | F130101117211 | F134101220 |
| | 400 | F130101119211 | F134101220 |
| | 450 | F130101121210 | F134101220 |
| | 500 | F130101123210 | F134101220 |
| | 550 | F130101125210 | F134101220 |




| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD + 2D LOCKING DEVICE |
|-------------------------------|------------------|---------------|----------------------------|
| DYNAPRO SOFT-CLOSE 40 KG | 300 | F130107796204 | F134117193 |
| | 350 | F130107802204 | F134117193 |
| | 400 | F130107808204 | F134117193 |
| | 450 | F130107814204 | F134117193 |
| | 500 | F130107820204 | F134117193 |
| | 550 | F130107826204 | F134117193 |
| DYNAPRO SOFT-CLOSE 70 KG | 500 | F130107838204 | F134117193 |
| TIPMATIC SOFT-CLOSE ADD-ON | SYNC ROD | F134109410207 | |
| | ACTIVATOR | F134109323607 | |

FEATURES: Undermount slide 30 kg, 40 kg and 70 kg options 2D, 3D and 4D Adjustment options Fully synchronised Full extension Minimum drawer deflection Dynapro can be used with vionaro steel sides





| DRAWER LENGTH | CODE | ADD SHELF CLIP SET |
|----------------------------------|---------------|-----------------------|
| BASE MOUNT FULL EXTENSION 450 MM | F130107884210 | F134107411517 |
| BASE MOUNT FULL EXTENSION 500 MM | F130107890210 | F134107411517 |
| BASE MOUNT FULL EXTENSION 550 MM | F130107893604 | F134107411517 |



FEATURES:

Undermount base mount slide
Full extension 40 kg load capacity
Soft-close

Assembly on cabinet base
Height adjustment + 3.5 m



53 MM DRAWER



| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD | ADD | AD D |
|--------------|------------------|---------------|---------------|---------------|-----------|
| | | | LEFT BRACKET | RIGHT BRACKET | COVER CAP |
| INTEGRA H-53 | 450 | F084074926207 | F084115209236 | F084115210236 | - |
| | 500 | F084074917207 | F084115209236 | F084115210236 | - |

85 MM DRAWER



| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD | ADD | AD D |
|--------------|------------------|---------------|---------------|---------------|---------------|
| | | | LEFT BRACKET | RIGHT BRACKET | COVER CAP X2 |
| INTEGRA H-85 | 275 | F084074972207 | F084115231236 | F084115233236 | F084075011240 |
| | 350 | F084074952207 | F084115231236 | F084115233236 | F084075011240 |
| | 400 | F084074959207 | F084115231236 | F084115233236 | F084075011240 |
| | 450 | F084074960207 | F084115231236 | F084115233236 | F084075011240 |
| | 500 | F084074961207 | F084115231236 | F084115233236 | F084075011240 |
| | 550 | F084074968207 | F084115231236 | F084115233236 | F084075011240 |

149 MM DRAWER



| DRAWER TYPE | DRAWER LENGTH NL | CODE | ADD | ADD | AD D |
|---------------|------------------|---------------|---------------|---------------|---------------|
| | | | LEFT BRACKET | RIGHT BRACKET | COVER CAP X2 |
| INTEGRA H-149 | 450 | F084075168204 | F084115231236 | F084115233236 | F084075011240 |
| | 500 | F084075170204 | F084115231236 | F084115233236 | F084075011240 |

RAIL SETS

| TYPE | SIZE | CODE |
|----------------------|------|---------------|
| INTEGRA POT RAIL SET | 500 | 3500.500.2 |
| INTEGRA FILING RAIL | 500 | F084074850511 |



FEATURES: Single wall drawer
30 kg
2D Adjustments





| FLAP TYPE | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP | CODE |
|--------------|------------|------------|----------------------|---------------|
| KINVARO T-65 | 200 | 300 | Width: Up to 1200 mm | F151147797201 |
| KINVARO T-70 | 300 | 400 | Width: Up to 1200 mm | F151147693201 |
| KINVARO T-75 | 400 | 600 | Width: Up to 1200 mm | F151147700201 |



| FLAP TYPE | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP | CODE |
|--------------|------------|------------|---------------------------|---------------|
| KINVARO F-20 | 600 | 900 | Width: 450 mm-1200 mm | |
| TYPE 4B | 600 | 649 | Weight: 4.1 kg - 12.1kg | F152147675201 |
| TYPE 4C | 600 | 649 | Weight: 6.8 kg - 15.8 kg | F152147842201 |
| TYPE 5B | 650 | 699 | Weight: 3.8 kg - 11.4 kg | F152147840201 |
| TYPE 6C | 700 | 749 | Weight: 6.5 kg - 16.4 kg | F152147844201 |
| TYPE 6D | 700 | 749 | Weight: 10.0 kg - 18.0 kg | F152147846201 |
| TYPE 7C | 750 | 799 | Weight: 6.0 kg - 15.6 kg | F152147787201 |
| TYPE 7D | 750 | 900 | Weight: 6.5 kg - 16.5 kg | F152147847201 |



| FLAP TYPE | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP | CODE |
|--------------|------------|------------|-------------------------|---------------|
| KINVARO L-80 | 350 | 600 | Width: 450 mm-1200 mm | |
| TYPE 5B | 430 | 600 | Weight: 4.0 kg - 7.5 kg | F152147715201 |

HOW TO CALCULATE YOUR DOOR WEIGHT:

FLAP WIDTH X FLAP HEIGHT X FLAP THICKNESS X DENSITY + HANDLE = WEIGHT OF FLAP

DENSITIES: MDF 0.85KG, CHIPBOARD 0.65KG, PINE 0.45KG

FOR BAR HANDLES, ALLOW 0.1KG FOR EACH 100 MM HANDLE WIDTH

LIFTS COME WITH ADJUSTABLE DAMPING/ SOFT-CLOSE SYSTEM

WE RECOMMEND A TRIAL FIT BEFORE FINAL INSTALLATION

ALL KINVARO F-20 MODELS NEED NEXIS 125 DEG HINGES IN ORDER TO OPEN IN A MAXIMUM POSITION.





| FLAP TYPE | DESCRIPTION | POWER FACTOR | CODE |
|------------------|--------------------|--------------|---------------|
| T - SLIM FLAP | SOFT CLOSE - STONE | 500 - 1100 | F151149005201 |
| T - SLIM FLAP | SOFT CLOSE - STONE | 1000 - 2250 | F151149008201 |
| T - SLIM FLAP | TIPMATIC - STONE | 500 - 1100 | F151149014201 |
| T - SLIM FLAP | TIPMATIC - STONE | 1000 - 2250 | F151149017201 |
| T - SLIM ADAPTER | ADAPTER - STONE | - | F161149020204 |



FEATURES:

Inset flush fit on carcass side
Or surface mounted on carcass side (adapter needed)
Milling depth carcass side 12.2 mm
Milling depth door 13.7 mm

3D adjustment
All cover caps paintable
Available in soft close or auto opening (Tipmatic)
Available for wooden doors only in SA






| FLAP TYPE | MIN HEIGHT | MAX HEIGHT | MAX WEIGHT | CODE |
|------------------------|------------|------------|------------|------------------|
| KINVARO D-S WHITE 40N | 200 | 480 | 3 KG | F053139664607 |
| KINVARO D-S NIGHT 40N | 200 | 480 | 3 KG | F053139665607 |
| KINVARO D-S WHITE 60N | 200 | 480 | 6 KG | F053139666607 |
| KINVARO D-S NIGHT 60N | 200 | 480 | 6 KG | F053139667607 |
| KINVARO D-M WHITE 100N | 200 | 480 | 10 KG | F053139662607 WH |
| KINVARO D-M NIGHT 100N | 200 | 480 | 10 KG | F053139662607 N |
| KINVARO D-M WHITE 200N | 200 | 480 | 12 KG | F053139687607 WH |
| KINVARO D-M NIGHT 200N | 200 | 480 | 12 KG | F053139687607 N |




| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|----------------------------------|-------------|---------------|-----------|
| TIOMOS FLAP HINGE NICKEL | OVERLAY 90° | F053139671 | EACH |
| TIOMOS FLAP HINGE NIGHT | OVERLAY 90° | F053139677 | EACH |
| TIOMOS FLAP HINGE ADAPTER NICKEL | - | F053139676236 | EACH |
| TIOMOS FLAP HINGE ADAPTER NIGHT | - | F053139684236 | EACH |

DRILLING PATTERNS



CUP DIMENSIONS




- FEATURES:**
- Modern design
 - 90° opening angle
 - For flap thicknesses of up to 21 mm
 - Narrow gaps between door and cabinet
 - Large overlay of up to 19 mm
 - 12 mm cup depth
 - 3 Dimensional adjustment
 - Very suitable for combining with the Kinvaro D flap stays





| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|----------------------------|--------------|---------------|-----------|
| TIOMOS HIDDEN HINGE NICKEL | OVERLAY 105° | F051139126507 | PAIR |
| TIOMOS HIDDEN HINGE NIGHT | OVERLAY 105° | F051139125507 | PAIR |



FEATURES: Perfectly concealed hinge
 Opening angle 105°
 Integrated Soft-close damper

3 Dimensional adjustment
 For door thicknesses from 18 mm
 Door rebate depth: 15 mm

Cabinet rebate depth: 42 mm
 Surface: nickel-plated, night
 Loadbearing capacity up to 18 kg





| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|---------------------------------------|-----------------------|---------------|-----------|
| TIOMOS MIRROR/CLEAR GLASS HINGE 125° | MIRROR OR CLEAR GLASS | F029140325 | EACH |
| TIOMOS MIRROR/CLEAR GLASS HINGE NIGHT | MIRROR OR CLEAR GLASS | F029140468 | EACH |
| ECO CROSS 0 MM M/PLATE | - | F058139721217 | EACH |
| ZAMAK ADAPTER FOR CLEAR GLASS | CLEAR GLASS | F072135868 | EACH |

FEATURES: 125° opening angle
 Fastening through door-side gluing of Zamak adapter
 Connection of the hinge to the adapter using a cam

Quick final assembly without glass drilling
 High overlay up to 19 mm



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------|------------------------------|---------------|-----------|
| TIOMOS M9 HINGE 110° | DOOR THICKNESS FROM 12-28 MM | F029140334 | EACH |
| ECO CROSS 0 MM M/PLATE | - | F058139721217 | EACH |

FEATURES: For door thicknesses up to max. 28 mm
 35 mm full cup drilled hole
 Low cup depth of 9 mm
 For mitred door applications

For rebate door applications
 3-dimensional adjustment with appropriate mounting plate
 For door overlays up to 25 mm



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------|------------------------|---------------|-----------|
| TIOMOS M0 HINGE 125° | DOOR THICKNESS 6-10 MM | F029140331217 | EACH |
| ECO CROSS 0 MM M/PLATE | - | F058139721217 | EACH |

FEATURES: For door thicknesses for 6 - 10 mm
 No cup hole necessary
 3-dimensional adjustment
 For door overlays of up to 25 mm

Compatible with all mounting plates
 Zero protrusion up to 14 mm overlay
 125° opening angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|--------------------------------|--------------------|---------------|-----------|
| TIOMOS REFRIGERATOR HINGE 100° | FRIDGE APPLICATION | F045139052228 | EACH |
| ECO CROSS 0MM M/PLATE | - | F058139721217 | EACH |

FEATURES: Flat hinge arm
 No soft-close

Hinge for fridge doors (sliding system)
 3-dimensional adjustment





| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|--------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | OVERLAY 110° | F028138098228 | 150 |
| TIOMOS HINGE DOWEL SOFT-CLOSE | HALF OVERLAY 110° | F028138099228 | 150 |
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET OVERLAY 110° | F028138100217 | 150 |

FEATURES: Door thickness up to 24 mm
 Dept adjustment via worm gear
 3D Adjustment with appropriate mounting plates

Adjustable soft-close
 12.6 mm Cup depth



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|----------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET 110/45° CORNER | F028138118223 | 50 |

FEATURES: For 45° angled cabinets
 110° Opening angle
 3D Adjustment



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|------------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET 90 MM POST HINGE | F028138120213 | 50 |

FEATURES: For blind corner applications
 110° Opening angle
 3D Adjustment



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-----------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | OVERLAY 155° MBP | F028138139217 | 50 |
| TIOMOS HINGE DOWEL SOFT-CLOSE | HALF OVERLAY 155° MBP | F028138140213 | 50 |

FEATURES: 160° Opening angle
 Zero protrusion
 Shallow cup depth of 10 mm

Door thickness up to 32 mm
 3D Adjustment



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------------------|-----------------|------------|-----------|
| TIOMOS HINGE DOWEL NON SOFT-CLOSE | PIE-CUT/BI-FOLD | F045138092 | 50 |

FEATURES: For connecting 2 cabinet doors
 Shallow cup depth 11.8 mm
 3D Adjustment

24 mm Max door thickness
 No soft-close



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|--------------------------------|---------------|-----------|
| TIOMOS HINGE NIGHT B.BP | OVERLAY 110° NIGHT | F028139129228 | EACH |
| TIOMOS HINGE IMPRESSO NIGHT | OVERLAY 110° NIGHT | F017140378228 | EACH |
| TIOMOS HINGE ALU NIGHT | OVERLAY 110° 20/20 NIGHT | F028140404228 | EACH |
| TIOMOS HINGE SCREW FIX NIGHT | OVERLAY 155° NIGHT | F028140944217 | EACH |
| TIOMOS HINGE SCREW FIX NIGHT | BLIND CORNER NIGHT | F028140961223 | EACH |
| TIOMOS MOUNTING PLATE NIGHT | 1D LINEAR SCREW FIX 3 MM NIGHT | F059139979228 | EACH |
| TIOMOS HINGE ARM COVER NIGHT | ARM COVER NIGHT | F072140519228 | EACH |
| TIOMOS HINGE CUP COVER NIGHT | CUP COVER NIGHT | F072140520228 | EACH |




| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|-----------------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX - 2 MM | F058139720228 | 150 |
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX 0 MM | F058139721217 | 150 |
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX 3 MM | F058139723228 | 150 |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX - 2 MM | F058139735228 | 150 |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX 0 MM | F058139736228 | 150 |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX 3 MM | F058139738228 | 150 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|----------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 0 MM | F058139746217 | 150 |
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 3 MM | F058139748217 | 150 |
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 6 MM | F058139892217 | 150 |
| TIOMOS MOUNTING PLATE | 1D MOUNTED EURO SCREW 3 MM | F058139763217 | 150 |
| TIOMOS MOUNTING PLATE | 1D MOUNTED EURO SCREW 6 MM | F058139873217 | 150 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|--------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | 1D LINEAR SCREW FIX 0 MM | F058139701217 | 150 |
| TIOMOS MOUNTING PLATE | 1D LINEAR SCREW FIX 3 MM | F058139703217 | 150 |
| TIOMOS MOUNTING PLATE | 1D LINEAR DOWEL FIX 3 MM | F058139708228 | 150 |
| TIOMOS MOUNTING PLATE | 1D LINEAR EURO FIX 3 MM | F058139713228 | 150 |





| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | FULL OVERLAY 100° | F015072722236 | 250 |
| NEXIS HINGE CLICK-ON DOWEL | FULL OVERLAY 100° | F015072719236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | HALF OVERLAY 100° | F015072729236 | 250 |
| NEXIS HINGE CLICK-ON DOWEL | HALF OVERLAY 100° | F015072727236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 100° | F015072736236 | 250 |
| NEXIS HINGE CLICK-ON DOWEL | INSET 100° | F015072732236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 45° CORNER | F015072751225 | 125 |
| NEXIS HINGE CLICK-ON DOWEL | INSET 45° CORNER | F015072750225 | 125 |

FEATURES: Door thickness up to 30 mm
 Cup depth 11.8 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 95° Opening angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 83 MM POST/BLIND CORNER | F015072788225 | 125 |
| NEXIS HINGE CLICK-ON DOWEL | INSET 83 MM POST/BLIND CORNER | F015072787225 | 125 |

FEATURES: Door thickness up to 30 mm
 Cup depth 11.8 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 95° Opening angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | FULL OVERLAY 170° | F015072842217 | 50 |
| NEXIS HINGE CLICK-ON DOWEL | FULL OVERLAY 170° | F015072840217 | 50 |

FEATURES: Door thickness up to 26 mm
 Cup depth 11 mm
 Clip on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 Zero protusion hinge at 90° opening angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|----------------|---------------|-----------|
| NEXIS CLICK-ON CROSS M/PLATE | SCREW FIX 2 MM | F060073145236 | 250 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-------------------------|---------------|-----------|
| NEXIS CLICK-ON CROSS M/PLATE | MOUNTED EURO SCREW 2 MM | F060073180236 | 250 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|----------------------|--------------------|---------------|-----------|
| NEXIS HINGE STANDARD | SOFT-CLOSE ADAPTER | F069073715225 | 125 |
| NEXIS HINGE 170 DEG | SOFT-CLOSE ADAPTER | F069073729225 | 125 |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE |
| MOUNTING PLATE WITH HOUSING | 57010040 | 80 MM | WHITE |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING | 57010040G | 80 MM | GRAPHITE |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | FULL OVERLAY 100° | F016073008236 | 250 |
| NEXIS HINGE SLIDE-ON DOWEL | FULL OVERLAY 100° | F016073010236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | HALF OVERLAY 100° | F016073014236 | 250 |
| NEXIS HINGE SLIDE-ON DOWEL | HALF OVERLAY 100° | F016073016236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | INSET 100° | F016073018236 | 250 |
| NEXIS HINGE SLIDE-ON DOWEL | INSET 100° | F016073020236 | 250 |

FEATURES: Door thickness up to 24 mm
 Cup depth 11 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | INSET 45° CORNER | F016073033225 | 125 |

FEATURES: Door thickness up to 30 mm
 Cup depth 11.8 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 95° Opening Angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|--------------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | 63 MM INSET/BLIND-CORNER | F016073048225 | 125 |

FEATURES: Door thickness up to 30 mm
 Cup depth 11.8 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 95° Opening Angle



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | FULL OVERLAY 170° | F016073077217 | 50 |
| NEXIS HINGE SLIDE-ON DOWEL | FULL OVERLAY 170° | F016073078217 | 50 |

FEATURES: Door thickness up to 26 mm
 Cup depth 11 mm
 Slide on with various plate options
 Soft-close compatible
 3 Dimensional adjustment with appropriate plate
 Zero protrusion hinge at 90° opening



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------|------------------|---------------|-----------|
| NEXIS SLIDE-ON M/PLATE | SCREW FIX - 0 MM | F062073298236 | 250 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------|---------------------------|---------------|-----------|
| NEXIS SLIDE-ON M/PLATE | MOUNTED EURO SCREW - 0 MM | F062073316236 | 250 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|----------------------|--------------------|---------------|-----------|
| NEXIS HINGE STANDARD | SOFT-CLOSE ADAPTER | F069073715225 | 125 |
| NEXIS HINGE 170 DEG | SOFT-CLOSE ADAPTER | F069073729225 | 125 |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE |
| MOUNTING PLATE WITH HOUSING | 57010040 | 80 MM | WHITE |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING | 57010040G | 80 MM | GRAPHITE |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | FULL OVERLAY SOFT-CLOSE 110° | A36A07 | 200 |
| OMNI HINGE CLICK-ON DOWEL | FULL OVERLAY SOFT-CLOSE 110° | A36A07N | 200 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | HALF OVERLAY SOFT-CLOSE 110° | A36A03 | 200 |
| OMNI HINGE CLICK-ON DOWEL | HALF OVERLAY SOFT-CLOSE 110° | A36A03N | 200 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-----------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET SOFT-CLOSE 110° | A36A01 | 200 |
| OMNI HINGE CLICK-ON DOWEL | INSET SOFT-CLOSE 110° | A36A01N | 200 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|----------------------|----------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET SOFT-CLOSE 45° | AC12T02 | 100 |
| OMNI HINGE CLICK-ON DOWEL | INSET SOFT-CLOSE 45° | AC12T02N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|----------------------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET POST HINGE SOFT-CLOSE 110° | A1203 | 100 |
| OMNI HINGE CLICK-ON DOWEL | INSET POST HINGE SOFT-CLOSE 110° | A1203N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | FULL OVERLAY SOFT-CLOSE 165° | AC2016 | 100 |
| OMNI HINGE CLICK-ON DOWEL | FULL OVERLAY SOFT-CLOSE 165° | AC2016N | 100 |

FEATURES: Door thickness up to 16 mm
 Cup depth 11.3 mm
 Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|------------------|-------------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX - 0 MM | C31HO-4HOLE | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|---------------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 10 MM MOUNTED EURO SCREW - 0 MM | C31H0D-10 | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|---------------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 13 MM MOUNTED EURO SCREW - 0 MM | C31H0D-13 | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|----------------|----------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX - ID | C31CAMHO | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | FULL OVERLAY 110° | C0406 | 250 |
| OMNI HINGE CLICK-ON DOWEL | FULL OVERLAY 110° | C0406N | 250 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | HALF OVERLAY 110° | C0403 | 250 |
| OMNI HINGE CLICK-ON DOWEL | HALF OVERLAY 110° | C0403N | 250 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET 110° | C0401 | 250 |
| OMNI HINGE CLICK-ON DOWEL | INSET 110° | C0401N | 250 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET 45° CORNER | C12T02 | 100 |
| OMNI HINGE CLICK-ON DOWEL | INSET 45° CORNER | C12T02N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|--------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET/BLIND CORNER HINGE | C12T03 | 100 |
| OMNI HINGE CLICK-ON DOWEL | INSET/BLIND CORNER HINGE | C12T03N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|---------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | BI-FOLD/PIE-CUT FULL HOLE | C12T04 | 100 |
| OMNI HINGE CLICK-ON DOWEL | BI-FOLD/PIE-CUT FULL HOLE | C12T04N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | FULL OVERLAY 165° | C2016 | 100 |
| OMNI HINGE CLICK-ON DOWEL | FULL OVERLAY 165° | C2016N | 100 |

FEATURES: Door thickness up to 16 mm
Cup depth 11.3 mm
Clip on with various plate options



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|-------------|---------------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX | C31H0 - 4HOLE | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|-----------------------|--------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 10 MM MOUNTED EURO SCREW | C02H0D-10 | 500 |
| OMNI M/PLATE CLICK-ON | 13 MM MOUNTED EURO SCREW | C02H0D-13 | 500 |



| DESCRIPTION | APPLICATION | CODE | PACK SIZE |
|--|---------------------------|-----------|-------------|
| OMNI HINGE AND PLATE SLIDE-ON SCREW IN | FULL OVERLAY | 2811.007 | 200 PREPACK |
| OMNI HINGE SLIDE-ON SCREW IN | FULL OVERLAY | 2809.400 | 200 |
| OMNI HINGE SLIDE-ON DOWEL | FULL OVERLAY | 2809.400N | 200 |
| OMNI HINGE AND PLATE SLIDE-ON SCREW IN | HALF OVERLAY | 2811.015 | 200 PREPACK |
| OMNI HINGE SLIDE-ON SCREW IN | HALF OVERLAY | 2809.405 | 200 |
| OMNI HINGE SLIDE-ON DOWEL | HALF OVERLAY | 2809.405N | 200 |
| OMNI M/PLATE SLIDE-ON | 4 HOLE SCREW-IN | 2809.626 | 200 |
| OMNI M/PLATE SLIDE-ON | 2 HOLE MOUNTED EURO SCREW | 2809.526 | 200 |

FEATURES: Pre-packed



| DESCRIPTION | CODE | FINISH |
|------------------------------------|---------------|--------|
| TIPMATIC ACTIVATOR/SOFT-CLOSE 110° | OTMSC/H | BLACK |
| NEXIS TIPMATIC UNSPRUNG HINGE | F015072724236 | NICKEL |

FEATURES:

Mechanical operation
Allows for handle free doors with soft-close action
Easy fitting

Use for doors up to 2200 mm in height and 600 mm in width
Use with GRASS Nexis Tipmatic hinge
Max door weight is 20 kg





| CODE | DESCRIPTION | SIZE | PACK SIZE | FINISH |
|------------|--|--------|-----------|--------|
| OUM301/400 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 400 MM | 10 | ZINC |
| OUM301/450 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 450 MM | 10 | ZINC |
| OUM301/500 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 500 MM | 10 | ZINC |
| OUM302/350 | OMNI UNDERMOUNT FULL EXTENSION 35 KG | 350 MM | 10 | ZINC |
| OUM302/400 | OMNI UNDERMOUNT FULL EXTENSION 35 KG | 400 MM | 10 | ZINC |
| OUM302/450 | OMNI UNDERMOUNT FULL EXTENSION 35 KG | 450 MM | 10 | ZINC |
| OUM302/500 | OMNI UNDERMOUNT FULL EXTENSION 35 KG | 500 MM | 10 | ZINC |



| CODE | DESCRIPTION | SIZE | PACK SIZE | FINISH |
|------------------|-------------------------------|-----------|-----------|--------|
| 550-704-086X270W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 270 | 10 | WHITE |
| 550-704-086X350W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 350 | 10 | WHITE |
| 550-704-086X400W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 400 | 10 | WHITE |
| 550-704-086X450W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 450 | 10 | WHITE |
| 550-704-086X500W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 500 | 10 | WHITE |
| 550-704-086X550W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 550 | 10 | WHITE |
| 550-704-150X450W | OMNI SUPER STEEL DRAWER SLIDE | 150 x 450 | 10 | WHITE |
| 550-704-150X500W | OMNI SUPER STEEL DRAWER SLIDE | 150 x 500 | 10 | WHITE |
| 5501 | MARKING JIG FOR DRAWER FRONTS | | 1 | BLACK |

| CODE | DESCRIPTION | PACK SIZE | FINISH |
|----------|--------------------------------------|-----------|--------|
| 4401.125 | SOFT-CLOSE ADAPTER | EACH | GREY |
| 4401.159 | SOFT-CLOSE PIN FOR STEEL SIDE DRAWER | EACH | WHITE |
| 4401.143 | SOFT-CLOSE PIN FOR WOODEN DRAWER | EACH | GREY |



| CODE | DESCRIPTION | SIZE | PACK SIZE | FINISH |
|----------|--|--------|-----------|--------|
| MBBF/250 | OMNI BALL BEARING FULL EXTENSION 45 KG | 250 MM | 10 | ZINC |
| MBBF/300 | OMNI BALL BEARING FULL EXTENSION 45 KG | 300 MM | 10 | ZINC |
| MBBF/350 | OMNI BALL BEARING FULL EXTENSION 45 KG | 350 MM | 10 | ZINC |
| MBBF/400 | OMNI BALL BEARING FULL EXTENSION 45 KG | 400 MM | 10 | ZINC |
| MBBF/450 | OMNI BALL BEARING FULL EXTENSION 45 KG | 450 MM | 10 | ZINC |
| MBBF/500 | OMNI BALL BEARING FULL EXTENSION 45 KG | 500 MM | 10 | ZINC |
| MBBF/550 | OMNI BALL BEARING FULL EXTENSION 45 KG | 550 MM | 10 | ZINC |
| MBBF/600 | OMNI BALL BEARING FULL EXTENSION 45 KG | 600 MM | 10 | ZINC |

| CODE | DESCRIPTION | SIZE | PACK SIZE | FINISH |
|----------|--|--------|-----------|--------|
| EBBF/450 | OMNI ECO BALL BEARING FULL EXTENSION 45 KG | 450 MM | 10 | ZINC |
| EBBF/500 | OMNI ECO BALL BEARING FULL EXTENSION 45 KG | 500 MM | 10 | ZINC |



| CODE | DESCRIPTION | SIZE | PACK SIZE | FINISH |
|------------|---|--------|-----------|--------|
| MBBF/350SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 350 MM | 10 | ZINC |
| MBBF/400SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 400 MM | 10 | ZINC |
| MBBF/450SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 450 MM | 10 | ZINC |
| MBBF/500SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 500 MM | 10 | ZINC |
| MBBF/550SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 550 MM | 10 | ZINC |



TAVINEA SORTO ORGANISING SYSTEM





| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------------|-----------|----------|
| | | W x D | |
| TAVINEA SORTO B276 - NOVAPRO | F007130058201 | 276 X 500 | STONE |
| TAVINEA SORTO B276 - NOVAPRO | F007130059201 | 276 X 500 | SILVER |
| TAVINEA SORTO B276 - VIONARO AND DWD XP | F007130137201 | 276 X 500 | GRAPHITE |
| TAVINEA SORTO B276 - NOVAPRO | F007130062201 | 276 X 550 | STONE |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------------|-----------|----------|
| | | W x D | |
| TAVINEA SORTO B186 - NOVAPRO | F007130086201 | 186 X 500 | STONE |
| TAVINEA SORTO B186 - NOVAPRO | F007130087201 | 186 X 500 | SILVER |
| TAVINEA SORTO B186 - VIONARO AND DWD XP | F007130158201 | 186 X 500 | GRAPHITE |
| TAVINEA SORTO B186 - NOVAPRO | F007130090201 | 186 X 550 | STONE |



| DESCRIPTION | CODE | DEPTH | FINISH |
|---|---------------|-------|----------|
| | | | |
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO | F007130114207 | 500 | STONE |
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO | F007130115207 | 500 | SILVER |
| TAVINEA SORTO DIVIDER RAIL - VIONARO AND DWD XP | F007130179207 | 500 | GRAPHITE |
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO | F007130118207 | 550 | STONE |



| DESCRIPTION | CODE | SIZE | FINISH |
|--|---------------|-----------|----------|
| | | W x D | |
| TAVINEA SORTO KNIFE BLOCK - NOVAPRO | F007101995201 | 185 X 500 | DARK ASH |
| TAVINEA SORTO KNIFE BLOCK - VIONARO AND DWD XP | F007102424201 | 185 X 500 | DARK ASH |



| DESCRIPTION | CODE | SIZE | FINISH |
|--|---------------|-----------|-----------|
| | | W x D | |
| TAVINEA SORTO KNIFE BLOCK - NOVAPRO | F007101990201 | 185 X 500 | LIGHT ASH |
| TAVINEA SORTO KNIFE BLOCK - VIONARO AND DWD XP | F007102418201 | 185 X 500 | LIGHT ASH |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------------|-----------|----------|
| | | W x D | |
| TAVINEA SORTO SPICE RACK - NOVAPRO | F007101997201 | 185 X 500 | DARK ASH |
| TAVINEA SORTO SPICE RACK - VIONARO AND DWD XP | F007102426201 | 185 X 500 | DARK ASH |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------------|-----------|-----------|
| | | W x D | |
| TAVINEA SORTO SPICE RACK - NOVAPRO | F007101992201 | 185 X 500 | LIGHT ASH |
| TAVINEA SORTO SPICE RACK - VIONARO AND XP | F007102420201 | 185 X 500 | LIGHT ASH |




| DESCRIPTION | CODE | SIZE | FINISH |
|--|---------------|-----------|----------|
| | | W x D | |
| TAVINEA SORTO FOIL HOLDER - NOVAPRO | F007101999201 | 185 X 500 | DARK ASH |
| TAVINEA SORTO FOIL HOLDER - VIONARO AND DWD XP | F007102428201 | 185 X 500 | DARK ASH |




| DESCRIPTION | CODE | SIZE | FINISH |
|--|---------------|-----------|-----------|
| | | W x D | |
| TAVINEA SORTO FOIL HOLDER - NOVAPRO | F007101994201 | 185 X 500 | LIGHT ASH |
| TAVINEA SORTO FOIL HOLDER - VIONARO AND DWD XP | F007102422201 | 185 X 500 | LIGHT ASH |




| DESCRIPTION | CODE | SIZE | FINISH |
|------------------------------|---------------|-----------|-----------|
| | | W x D | |
| TAVINEA SORTO SQUARE ELEMENT | F007102423201 | 185 X 208 | LIGHT ASH |
| TAVINEA SORTO SQUARE ELEMENT | F007102429201 | 185 X 208 | DARK ASH |



| DESCRIPTION | CODE | COLOUR | PACK SIZE |
|--|---------------|---------|-----------|
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130242507 | GRAHITE | EACH |
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130243507 | WHITE | EACH |
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130241507 | SILVER | EACH |



| DESCRIPTION | CODE | COLOUR | PACK SIZE |
|-----------------------------|---------------|---------|-----------|
| TAVINEA OPTIMA PROFILE CLIP | F007130228511 | GRAHITE | SET |
| TAVINEA OPTIMA PROFILE CLIP | F007130229511 | WHITE | SET |
| TAVINEA OPTIMA PROFILE CLIP | F007130230511 | SILVER | SET |



| DESCRIPTION | CODE | COLOUR | PACK SIZE |
|----------------------------|---------------|---------|-----------|
| TAVINEA OPTIMA SMART BOARD | F007130245211 | GRAHITE | EACH |
| TAVINEA OPTIMA SMART BOARD | F007130246211 | WHITE | EACH |
| TAVINEA OPTIMA SMART BOARD | F007130247211 | SILVER | EACH |

FEATURES: Dividing system for pot drawers
Tool-free installation
Tool-free adjustment
Can be retrofitted

Colour coordinated with drawer sides
Can work with Vionaro, Novapro Scala and wooden drawers
Organises the storage space for clear and tidy arrangement
*Only applicable for 185 mm height sides





| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|---------------|-----------|----------|
| | | W x D | |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500WH | 360 X 480 | WHITE |
| VIONARO 450 MM CUTLERY INSERT | CVI450/500WH | 375 X 473 | WHITE |
| DWD XP 450 MM CUTLERY INSERT | CXP450/500WH | 356 X 473 | WHITE |
| INTEGRA 450 MM CUTLERY INSERT | CIN450/500WH | 387 X 480 | WHITE |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500SIL | 360 X 480 | SILVER |
| VIONARO 450 MM CUTLERY INSERT | CVI450/500SIL | 375 X 473 | SILVER |
| DWD XP 450 MM CUTLERY INSERT | CXP450/500SIL | 356 X 473 | SILVER |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500GRP | 360 X 480 | GRAPHITE |
| VIONARO 450 MM CUTLERY INSERT | CVI450/500GRP | 375 X 473 | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|---------------|-----------|----------|
| | | W x D | |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500WH | 510 X 480 | WHITE |
| VIONARO 600 MM CUTLERY INSERT | CVI600/500WH | 525 X 473 | WHITE |
| DWD XP 600 MM CUTLERY INSERT | CXP600/500WH | 506 X 473 | WHITE |
| INTEGRA 600 MM CUTLERY INSERT | CIN600/500WH | 537 X 480 | WHITE |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500SIL | 510 X 480 | SILVER |
| VIONARO 600 MM CUTLERY INSERT | CVI600/500SIL | 525 X 473 | SILVER |
| DWD XP 600 MM CUTLERY INSERT | CXP600/500SIL | 506 X 473 | SILVER |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500GRP | 510 X 480 | GRAPHITE |
| VIONARO 600 MM CUTLERY INSERT | CVI600/500GRP | 525 X 473 | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|---------------|-----------|----------|
| | | W x D | |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500WH | 810 X 480 | WHITE |
| VIONARO 900 MM CUTLERY INSERT | CVI900/500WH | 825 X 473 | WHITE |
| DWD XP 900 MM CUTLERY INSERT | CXP900/500WH | 806 X 473 | WHITE |
| INTEGRA 900 MM CUTLERY INSERT | CIN900/500WH | 837 X 480 | WHITE |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500SIL | 810 X 480 | SILVER |
| VIONARO 900 MM CUTLERY INSERT | CVI900/500SIL | 825 X 473 | SILVER |
| DWD XP 900 MM CUTLERY INSERT | CXP900/500SIL | 806 X 473 | SILVER |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500GRP | 810 X 480 | GRAPHITE |
| VIONARO 900 MM CUTLERY INSERT | CVI900/500GRP | 825 X 473 | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------|------------|-----------|----------|
| | | W x D | |
| CLASSICO KNIFE INSERT | CKNIFE/WH | 165 X 440 | WHITE |
| CLASSICO KNIFE INSERT | CKNIFE/GRP | 165 X 440 | GRAPHITE |
| CLASSICO KNIFE INSERT | CKNIFE/SIL | 165 X 440 | SILVER |



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------|------------|-----------|----------|
| | | W x D | |
| CLASSICO SPICE INSERT | CSPICE/WH | 165 X 440 | WHITE |
| CLASSICO SPICE INSERT | CSPICE/GRP | 165 X 440 | GRAPHITE |
| CLASSICO SPICE INSERT | CSPICE/SIL | 165 X 440 | SILVER |



| DESCRIPTION | CODE | SIZE | FINIS |
|-------------------|--------------|---------------|----------|
| RUBBER CANVAS MAT | CMAT/SIL | 25 M X 480 MM | SILVER |
| RUBBER CANVAS MAT | CMAT/GRP | 25 M X 480 MM | GRAPHITE |
| RUBBER CANVAS MAT | CMAT/GRP 550 | 25 M X 530 MM | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINIS |
|------------------|-------------|---------------|-------|
| RUBBER MAT SOLID | CMAT/WH | 25 M X 480 MM | WHITE |
| RUBBER MAT SOLID | CMAT/WH 550 | 25 M X 530 MM | WHITE |



| DESCRIPTION | CODE | SIZE | FINIS |
|------------------|--------------|---------------|-------|
| RUBBER MAT GLOBE | CMAT/BLK | 25 M X 480 MM | BLACK |
| RUBBER MAT GLOBE | CMAT/BLK 550 | 25 M X 530 MM | BLACK |

FEATURES: Our non-slip mats are highly practical and offer additional benefits. The anti-slip surface prevents objects from sliding about when drawers are opened and closed. It can also be easily removed for cleaning. Our mats can also be cut to fit most drawer sizes. *Sold per/m





| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------|----------|-------------|--------|
| GOLA HANDLE SLIM C ALU | SNA211CS | 49 MM X 3 M | ALU |
| GOLA HANDLE SLIM L ALU | SNA211LS | 40 MM X 3 M | ALU |
| GOLA HANDLE SLIM C BLACK | SNA211CB | 49 MM X 3 M | BLACK |
| GOLA HANDLE SLIM L BLACK | SNA211LB | 40 MM X 3 M | BLACK |
| GOLA HANDLE SLIM C WHITE | SNA211CW | 49 MM X 3 M | WHITE |
| GOLA HANDLE SLIM L WHITE | SNA211LB | 40 MM X 3 M | WHITE |
| FIXING BRACKET SLIM | SNA/F | - | STEEL |

FEATURES: Allows for more height spacing inside the drawers
 Square cut out
 Makes vertical applications possible
 End caps available for both options
 More accurate cutting for mitre joints
 Straight edge profile gives more elegant look

STANDARD:



Custom: Other colours available on request, minimum order of 10 lengths.



| DESCRIPTION | CODE | SIZE | FINISH |
|---------------------|----------|-------------|--------|
| GOLA HANDLE C ALU | NA211CS | 65 MM X 3 M | ALU |
| GOLA HANDLE L ALU | NA211LS | 50 MM X 3 M | ALU |
| GOLA HANDLE C BLACK | NA211CSB | 65 MM X 3 M | BLACK |
| GOLA HANDLE L BLACK | NA211LSB | 50 MM X 3 M | BLACK |
| GOLA HANDLE C WHITE | NA211CSW | 65 MM X 3 M | WHITE |
| GOLA HANDLE L WHITE | NA211LSW | 50 MM X 3 M | WHITE |
| FIXING BRACKET | NA/F | - | STEEL |

FEATURES: Round cut out
 End caps available for all colours

STANDARD:




Custom: Other colours available on request, minimum order of 10 lengths.



| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------|------|----------|
| STRIP HANDLE 32 MM ALU | VD5_ALU | 3 M | ALU |
| STRIP HANDLE 32 MM BRUSHED STEEL FINISH | VD5_SS | 3 M | S/STEEL |
| STRIP HANDLE 32 MM WHITE | VD5_WHT | 3 M | WHITE |
| STRIP HANDLE 32 MM BLACK | VD5_BLK | 3 M | BLACK |
| STRIP HANDLE 32 MM GRAPHITE | VD5_GRP | 3 M | GRAPHITE |

FEATURES: Suitable for cabinet doors and drawer fronts.
 Vertical mounting for all doors
 Horizontal mounting for drawers
 Can be cut to size
 Can be powder coated
 Black & Alu available in pre-cut sizes of 100 mm, 200 mm and 300 mm




STANDARD:



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------------|---------|------|----------|
| STRIP HANDLE 38 MM ALU | VD6_ALU | 3 M | ALU |
| STRIP HANDLE 38 MM WHITE | VD6_WHT | 3 M | WHITE |
| STRIP HANDLE 38 MM BLACK | VD6_BLK | 3 M | BLACK |
| STRIP HANDLE 38 MM GRAPHITE | VD6_GRP | 3 M | GRAPHITE |

FEATURES: Suitable for cabinet doors and drawer fronts.
 Vertical mounting for all doors
 Horizontal mounting for drawers
 Can be cut to size
 Can be powder coated
 Black & Alu available in pre-cut sizes of 100 mm, 200 mm and 300 mm



STANDARD:







| DESCRIPTION | CODE | SIZE | FINISH |
|------------------------------------|---------|------|--------|
| FINGER GRIP HANDLE SHORT ALUMINIUM | VD9_ALU | 3 M | ALU |
| FINGER GRIP HANDLE SHORT BLACK | VD9_BLK | 3 M | BLACK |

FEATURES: Cabinet Doors and Drawer Fronts
 Top or bottom mounted to doors and drawer fronts
 Can be used in conjunction with VD10





STANDARD:   ON REQUEST:   



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------------------|--------------|------|--------|
| FINGER GRIP HANDLE LONG ALUMINIUM | VD10_ALU | 3 M | ALU |
| FINGER GRIP HANDLE LONG BLACK | VD10_BLK | 3 M | BLACK |
| FINGER GRIP HANDLE LONG WITH LIP | VD10.LIP_ALU | 3 M | ALU |
| FINGER GRIP HANDLE LONG WITH LIP | VD10.LIP_BLK | 3 M | BLACK |

FEATURES: Cabinet Doors and Drawer Fronts
 Top or bottom mounted to doors and drawer fronts
 Can be used in conjunction with VD9

STANDARD:   ON REQUEST:   





| DESCRIPTION | CODE | FINISH |
|--|-------------|--------|
| CORNER JOINT CONNECTOR FOR 2 SIDES | VC002_blk | BLACK |
| CORNER JOINT CONNECTOR FOR 3 SIDES | VC003_blk | BLACK |
| CORNER JOINT CONNECTOR FOR 4 SIDES | VC004_blk | BLACK |
| CORNER JOINT CONNECTOR FOR 5 SIDES | VC005_blk | BLACK |
| CORNER JOINT CONNECTOR FOR 3 SIDES + ADJUSTABLE FOOT | VC003.1_blk | BLACK |
| CORNER JOINT CONNECTOR FOR 4 SIDES + ADJUSTABLE FOOT | VC004.1_blk | BLACK |



APPLICATIONS: Intergrated into the kitchen, freestanding furniture and visual room designs.

FINISHES: On Request - White, Grey and Graphite


BENEFITS: Endless possibilities
Modular and flexible use
Simple assembly
Easy delivery
Wide selection of corner joints


SUPPLIED: Components and profiles only
Standard kits
Custom sizes and layouts - supplied cut to size and drilled, ready to assemble
*Screws included



| DESCRIPTION | SIZE | CODE | FINISH |
|------------------------|------------|---------------------|--------|
| FRAME PROFILE | 20 x 20 MM | vCUBE_20x20_blk | BLACK |
| FRAME PROFILE WITH LIP | 20 x 20 MM | vCUBE_20x20.lip_blk | BLACK |
| STRIP FOR GLASS INSERT | 1200 MM | VC_Glass4_blk | GLASS |
| STRIP FOR GLASS INSERT | 1200 MM | VC_Glass6_blk | GLASS |


*Strip fixed with double sided tape included.






| CODE | HEIGHT | WIDTH | DEPTH | COLOUR |
|------------------|--------|-------|--------|--------|
| VC_FRAME7230_blk | 720 MM | - | 300 MM | BLACK |

*Shelf frames: for timber shelves (2 frames ready to fix to the wall)



| CODE | HEIGHT | WIDTH | DEPTH | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE306030_blk.2W | 300 MM | 600 MM | 300 MM | BLACK |
| VC_CUBE309030_blk.2W | 300 MM | 900 MM | 300 MM | BLACK |
| VC_CUBE456030_blk.2W | 450 MM | 600 MM | 300 MM | BLACK |
| VC_CUBE459030_blk.2W | 450 MM | 900 MM | 300 MM | BLACK |

*vCUBE frame: for 2 timber shelves on the top and bottom




| CODE | HEIGHT | WIDTH | DEPTH | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE726030_blk.3W | 720 MM | 600 MM | 300 MM | BLACK |
| VC_CUBE729030_blk.3W | 720 MM | 900 MM | 300 MM | BLACK |

*Top cabinet vCUBE frame: for 3 timber shelves on the top, bottom and middle

| CODE | HEIGHT | WIDTH | DEPTH | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE906030_blk.4W | 900 MM | 600 MM | 300 MM | BLACK |
| VC_CUBE909030_blk.4W | 900 MM | 900 MM | 300 MM | BLACK |

*Top cabinet vCUBE frame: for 4 timber shelves on the top, bottom and 2 x middle (equally spaced shelves)



| CODE | HEIGHT | WIDTH | DEPTH | COLOUR |
|-----------------------|--------|---------|--------|--------|
| VC_CUBE7212030_blk.3W | 720 MM | 1200 MM | 300 MM | BLACK |
| VC_CUBE9012030_blk.4W | 900 MM | 1200 MM | 300 MM | BLACK |

*Top cabinet vCUBE frame: 2 Sections for 3/4 timber shelves on the top, bottom and middle (equally spaced shelves)

CUSTOM SIZES AND LAYOUTS
Supplied cut to size and drilled, ready to assemble. Delivered flat packed.



| DESCRIPTION | CODE | FINISH |
|------------------------|--------------------|--------|
| FIX VERTICAL PANEL KIT | VW_UPRIGHT.KIT_BLK | BLACK |



| DESCRIPTION | CODE | FINISH |
|------------------------|-------|--------|
| CABINET HANGERS (PAIR) | VW008 | BLACK |



| DESCRIPTION | CODE | FINISH |
|-------------------------------|-----------------|--------|
| STRAIGHT SHELF BRACKET 300 MM | VW_SHELF.30_BLK | BLACK |
| STRAIGHT SHELF BRACKET 400 MM | VW_SHELF.40_BLK | BLACK |
| STRAIGHT SHELF BRACKET 550 MM | VW_SHELF.55_BLK | BLACK |



| DESCRIPTION | CODE | FINISH |
|-----------------------------|--------------------|--------|
| ANGLED SHELF BRACKET 300 MM | VW_SHELF.30ANG_BLK | BLACK |
| ANGLED SHELF BRACKET 550 MM | VW_SHELF.55ANG_BLK | BLACK |








| DESCRIPTION | CODE | FINISH |
|----------------------------------|----------------|--------|
| 2 DOOR WHEEL SET + 2 X 3M TRACKS | VS_M01_KIT_ALU | ALU |
| 2 DOOR WHEEL SET + 2 X 3M TRACKS | VS_M01_KIT_BLK | BLACK |

Regular inside fit system. Insert track is recessed into the top and bottom carcass.

APPLICATIONS: Base or top cabinets in kitchens, free standing furniture


DOORS:
 Door Types: Wood and aluminium frames
 Door Thickness: 16 - 25mm
 Spacing of Top and Bottom tracks is dependent on door thickness choice
 Door Weight: 40kg
 Door Size: 1500mm x 900 mm (recommended)

NOTES:
 Smooth sliding action with easy height adjustment.
 Easy to drill and fit wheelsets.
 Optional soft closer: VS_M01_Softcloser (for 2 doors)






| DESCRIPTION | CODE | FINISH |
|---|------------|--------|
| 3M TRACK, WHEEL SETS + SOFT CLOSERS FOR 2 DOORS | VS_M02.2DR | - |
| 3M TRACK, WHEEL SETS + SOFT CLOSERS FOR 3 DOORS | VS_M02.3DR | - |




APPLICATIONS: Wardrobe sliding doors / pantry cupboards
2, 3 or 4 door systems - available as kits or with complete built up doors to size


DOORS: Door Types: Wood / Board / Alu frames with glass or mirror
Door Thickness: 16mm to 25mm
Door Weight: up to 80 kg's / Min Door Weight: 25 kg's
Door Size: 2400mm x 1200mm (recommended)
Door Height: up to 2600mm / Door Width: 600mm to 1200mm

NOTES: Integrated Soft Close comes standard on all doors - opening and closing
Smooth sliding action with easy adjustment
Build a strong sturdy carcass with no flex on the top, to accommodate the door weight and ensure allowances for bottom guide are built in.






| DESCRIPTION | SIZE | CODE | FINISH |
|-------------|------|-----------------|--------|
| TOP TRACK | 3M | VS_M02_TTRACK3M | - |



| DESCRIPTION | SIZE | CODE | FINISH |
|--------------|------|-----------------|--------|
| BOTTOM TRACK | 3M | VS_M02_BTRACK3M | - |





| DESCRIPTION | SIZE | CODE | FINISH |
|----------------------------------|------|---------------|--------|
| 2 DOOR WHEEL SET W/ SOFT CLOSERS | - | VS_M02_WS.2DR | - |



| DESCRIPTION | SIZE | CODE | FINISH |
|----------------------------------|------|---------------|--------|
| 3 DOOR WHEEL SET W/ SOFT CLOSERS | - | VS_M02_WS.3DR | - |



| DESCRIPTION | CODE | FINISH |
|---|------------|--------|
| 3M TRACK, WHEEL SETS + SOFT CLOSERS FOR 2 DOORS | VS_M03.2DR | - |
| 3M TRACK, WHEEL SETS + SOFT CLOSERS FOR 3 DOORS | VS_M03.3DR | - |



APPLICATIONS: Wardrobe sliding doors
2, 3, or 4 door systems - available as kits or with complete built up doors to size


DOORS: Door Types: Glass, mirror and wood
Door Thickness: 16mm to 22mm
Door Weight: Up to 60 kg's / Min Door Weight: 22 kg's
Door Size: 2440mm x 1200mm (recommended)
Door Height: Up to 2500mm / Door Width: 600mm to 1200mm

NOTES: Integrated Soft Close comes standard on all doors - opening and closing
Easy soft close adjustment
Smooth sliding action with easy height adjustment
The principles of level, plumb and square apply for all types of sliding doors.
We recommend that you do not rely on walls, floors and ceilings to be perfect. It is best to build a carcass for your sliding doors wherever possible.





| DESCRIPTION | SIZE | CODE | FINISH |
|--------------|------|-----------------|--------|
| TOP TRACK | 3M | VS_M03_TTRACK3M | - |
| BOTTOM TRACK | 3M | VS_M02_BTRACK3M | - |





| DESCRIPTION | SIZE | CODE | FINISH |
|--------------|------|-----------------|--------|
| BOTTOM TRACK | 3M | VS_M03_BTRACK3M | - |



| DESCRIPTION | SIZE | CODE | FINISH |
|-----------------|------|----------------|--------|
| INSERT TRACK 3M | 3M | VS_INS.TRACK3M | - |

*insert track for M03 & M04



| DESCRIPTION | SIZE | CODE | FINISH |
|----------------------------------|------|---------------|--------|
| 2 DOOR WHEEL SET W/ SOFT CLOSERS | - | VS_M03_WS.2DR | - |



| DESCRIPTION | SIZE | CODE | FINISH |
|----------------------------------|------|---------------|--------|
| 3 DOOR WHEEL SET W/ SOFT CLOSERS | - | VS_M03_WS.3DR | - |





| DESCRIPTION | CODE | FINISH |
|---|-------------------|--------|
| 40KG WINGSLIDE WHEEL SET FOR 2 DOORS + 1,5M TOP TRACK | VS_M05_2DRKIT_ALU | ALU |
| 40KG WINGSLIDE WHEEL SET FOR 2 DOORS + 1,5M TOP TRACK | VS_M05_2DRKIT_BLK | BLACK |

Designed for top hanging folding wardrobe sliding doors where limited space for cabinet access is required.

APPLICATIONS: Wardrobes, scullery and cabinet doors
2 or 4 door applications

DOORS: Door Types: Aluminium frame and Wood doors
Door Thickness: 16 - 22mm
Spacing of Top and Bottom tracks is dependent on door thickness choice
Door Weight: 40kg for 2 doors
Door Size: 2400mm x 600 mm (recommended)

NOTES: Quick and easy installation.
Top rail is fitted to the top carcass. Doors then fold and slide with the double hinge system on the 2nd door.
(Excludes hinges on carcass side)






| DESCRIPTION | CODE | FINISH |
|--|--------------------|--------|
| 60KG DOORSLIDE SYSTEM, 2WAY SOFT CLOSE + 2M TOP TRACK | VS_M20.60_KIT_ALU | ALU |
| 60KG DOORSLIDE SYSTEM, 2WAY SOFT CLOSE + 2M TOP TRACK | VS_M20.60_KIT_BLK | BLACK |
| 120KG DOORSLIDE SYSTEM, 2WAY SOFT CLOSE + 2M TOP TRACK | VS_M20.120_KIT_ALU | ALU |
| 120KG DOORSLIDE SYSTEM, 2WAY SOFT CLOSE + 2M TOP TRACK | VS_M20.120_KIT_BLK | BLACK |

APPLICATIONS: Single or 2 door bathroom or internal door applications

DOORS: Door Thickness: 25mm - 60mm
 Door Weight: (M20.60) 60kg per door | (M20.120) 120kg per door
 Door Height: Max 2600mm
 Door Width: (M20.60) Min 610mm | (M20.120) Min 830mm

NOTES: Integrated two way soft closing system.
 All fixing brackets and guides included in kit.





DISPLAY WINE






| DESCRIPTION | CODE | SIZE | FINISH |
|------------------------------------|----------------|--------------|--------|
| DISPLAY PIN - SINGLE BOTTLE_SILVER | DP_SINGLE_SILV | 1 BOTTLE SET | SILVER |
| DISPLAY PIN - DOUBLE BOTTLE_SILVER | DP_DOUBLE_SILV | 2 BOTTLE SET | SILVER |
| DISPLAY PIN - TRIPLE BOTTLE_SILVER | DP_TRIPLE_SILV | 3 BOTTLE SET | SILVER |



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------------------|---------------|--------------|--------|
| DISPLAY PIN - SINGLE BOTTLE_BLACK | DP_SINGLE_BLK | 1 BOTTLE SET | BLACK |
| DISPLAY PIN - DOUBLE BOTTLE_BLACK | DP_DOUBLE_BLK | 2 BOTTLE SET | BLACK |
| DISPLAY PIN - TRIPLE BOTTLE_BLACK | DP_TRIPLE_BLK | 3 BOTTLE SET | BLACK |



| DESCRIPTION | CODE | QTY | FINISH |
|--|---------------|-----|--------|
| VINOWALL PINS WITH 50 MM SCREW - 150MM_ALU | V_PINS10_ALU | 10 | ALU |
| VINOWALL PINS WITH 50 MM SCREW - 150MM_ALU | V_PINS100_ALU | 100 | ALU |



| DESCRIPTION | CODE | QTY | FINISH |
|--|---------------|-----|--------|
| VINOWALL PINS WITH 50 MM SCREW - 150MM_BLACK | V_PINS10_BLK | 10 | BLACK |
| VINOWALL PINS WITH 50 MM SCREW - 150MM_BLACK | V_PINS100_BLK | 100 | BLACK |






| DESCRIPTION | CODE | SIZE | FINISH |
|---------------------------------------|-----------------|------|--------|
| WINE CRADLE WITH SCREWS - 150MM_BLACK | WCRADLE.10_BLK | 10 | BLACK |
| WINE CRADLE WITH SCREWS - 150MM_BLACK | WCRADLE.100_BLK | 100 | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|--------------------|------|--------|
| WINE CRADLE MAX WITH SCREWS - DOUBLE BOTTLE - 150MM_BLACK | WCRADLE_MAX.10_BLK | 10 | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|--|-----------------|------------|--------|
| BLACK SPINE WITH BLACK CRADLES_700 MM | SPINE_700.BBLK | 7 BOTTLES | BLACK |
| BLACK SPINE WITH BLACK CRADLES_1400 MM | SPINE_1400.BBLK | 14 BOTTLES | BLACK |
| BLACK SPINE WITH BLACK CRADLES_2100 MM | SPINE_2100.BBLK | 21 BOTTLES | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|---------------------|------------|--------|
| BLACK SPINE WITH BLACK CRADLE MAX_700 MM | SPINE.MAX_700.BBLK | 14 BOTTLES | BLACK |
| BLACK SPINE WITH BLACK CRADLE MAX_1400 MM | SPINE.MAX_1400.BBLK | 28 BOTTLES | BLACK |
| BLACK SPINE WITH BLACK CRADLE MAX_2100 MM | SPINE.MAX_2100.BBLK | 42 BOTTLES | BLACK |





| DESCRIPTION | CODE | QTY | FINISH |
|---|----------------------|------------|--------|
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_566X297_B.BLK | 5 BOTTLES | BLACK |
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_866X297_B.BLK | 8 BOTTLES | BLACK |
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_1166X297_B.BLK | 11 BOTTLES | BLACK |





| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------|----------------------|----------------|--------|
| ROUND WINE PIN 12 MM_10 | WINEPIN_12MM_BLK_10 | 12 MM X 180 MM | BLACK |
| ROUND WINE PIN 12 MM_100 | WINEPIN_12MM_BLK_100 | 12 MM X 180 MM | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------|----------------------|----------------|--------|
| ROUND WINE PIN 22 MM_10 | WINEPIN_22MM_BLK_10 | 22 MM X 150 MM | BLACK |
| ROUND WINE PIN 22 MM_100 | WINEPIN_22MM_BLK_100 | 22 MM X 150 MM | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------|------------------|----------------|--------|
| SOLO WINE PIN_10 | SOLO_PIN_BLK_10 | 73 MM X 175 MM | BLACK |
| SOLO WINE PIN_100 | SOLO_PIN_BLK_100 | 73 MM X 175 MM | BLACK |





| DESCRIPTION | CODE | SIZE | FINISH |
|--|--------------------|------------|--------|
| WINE CRADLE BASE TO BASE | WCRADLE.B2B.10_BLK | 20 BOTTLES | BLACK |
| WINE CRADLE BASE TO BASE 700 MM SPINE | SPINE_700.B2B.BLK | 14 BOTTLES | BLACK |
| WINE CRADLE BASE TO BASE 1400 MM SPINE | SPINE_1400.B2B.BLK | 28 BOTTLES | BLACK |
| WINE CRADLE BASE TO BASE 2100 MM SPINE | SPINE_2100.B2B.BLK | 42 BOTTLES | BLACK |





| DESCRIPTION | CODE | SIZE | FINISH |
|--|---------------|-----------|--------|
| THE FLOATING WINE SHELF 380 MM X 115 MM | FWS_380MMBLK | 1 BOTTLE | BLACK |
| THE FLOATING WINE SHELF 740 MM X 115 MM | FWS_740MMBLK | 2 BOTTLES | BLACK |
| THE FLOATING WINE SHELF 1105 MM X 115 MM | FWS_1105MMBLK | 3 BOTTLES | BLACK |





| DESCRIPTION | CODE | + | ADD | + | ADD | + | ADD | SIZE | FINISH |
|----------------------------|------------------|----------------------|---------------|-----------|------|---|----------|--------|----------|
| | 300 / 1800 FRAME | FULL EXTENSION SLIDE | SOFT-CLOSE | 5 BASKETS | | | | | |
| SOLID BASE PULL-OUT LARDER | 295A | | 295K | | 295O | | 296+ | 300 MM | CHROME |
| SOLID BASE PULL-OUT LARDER | 295 GRAPHITE | | 295K GRAPHITE | | 295O | | 296+GREY | 300 MM | GRAPHITE |

FEATURES: Soft-close (Optional)
 Weight capacity - 80 kg
 Solid base baskets
 Available in Chrome and Graphite



| DESCRIPTION | CODE | SIZE | FINISH |
|------------------------|-------------------|--------|--------------|
| PULL-OUT LARDER 300 MM | 255K+255A+253/300 | 300 MM | CHROME/WHITE |
| PULL-OUT LARDER 450 MM | 255K+255A+253/450 | 450 MM | CHROME/WHITE |
| PULL-OUT LARDER 600 MM | 255K+255A+253/600 | 600 MM | CHROME/WHITE |

FEATURES:

- Soft-close
- Weight capacity - 120 kg
- Full extension slide
- Solid base
- Available in Chrome
- Access from both sides
- Grocery storage
- Adjustable frame height from 1880 h - 2180 h



| DESCRIPTION | CODE | + | ADD | SIZE | FINISH |
|---------------------|---------------|---|-----------------|--------|--------|
| | | | NOVA PRO RUNNER | | |
| SOLID BASE PULL-OUT | 119+GRASS 450 | | F101108276211 | 450 MM | CHROME |
| SOLID BASE PULL-OUT | 119+GRASS 600 | | F101108276211 | 600 MM | CHROME |
| SOLID BASE PULL-OUT | 119+GRASS 900 | | F101108276211 | 900 MM | CHROME |

| DESCRIPTION | CODE | + | ADD | SIZE | FINISH |
|---------------------|------------------|---|-----------------|--------|----------|
| | | | NOVA PRO RUNNER | | |
| SOLID BASE PULL-OUT | 119+GRASS 450 GR | | F101108276211 | 450 MM | GRAPHITE |
| SOLID BASE PULL-OUT | 119+GRASS 600 GR | | F101108276211 | 600 MM | GRAPHITE |
| SOLID BASE PULL-OUT | 119+GRASS 900 GR | | F101108276211 | 900 MM | GRAPHITE |


FEATURES: Soft-close
 Weight capacity - 40 kg
 Full extension drawer slide
 Fully synchronised
 Solid base
 Available in Chrome and Graphite



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------------|---------------|--------|----------|
| SIGE 3/4 CAROUSEL FLAT WIRE | 363+ | 800 MM | CHROME |
| SIGE 3/4 CAROUSEL FLAT WIRE | 363+ GRAPHITE | 800 MM | GRAPHITE |

| DESCRIPTION | CODE | SIZE | FINISH |
|------------------------------|------|--------|--------|
| SIGE 3/4 CAROUSEL ROUND WIRE | 363I | 700 MM | CHROME |


| | | | |
|------------------|---------------|---------------------------|---------------------|
| FEATURES: | Retrofit | Assembly on cabinet base | 2 x Shelves per set |
| | Shelf mounted | Height adjustment + 3.5 m | |



| DESCRIPTION | CODE | SIZE | MIN DOOR SIZE | FINISH |
|-------------------------|---------------|--------|---------------|----------|
| SIGE BLIND CORNER LEFT | 371+LH SC | 900 MM | 450 MM | CHROME |
| SIGE BLIND CORNER RIGHT | 371+RH SC | 900 MM | 450 MM | CHROME |
| SIGE BLIND CORNER LEFT | 371+LH GRP SC | 900 MM | 450 MM | GRAPHITE |
| SIGE BLIND CORNER RIGHT | 371+RH GRP SC | 900 MM | 450 MM | GRAPHITE |

FEATURES:

- Retrofit
- Shelf mounted
- Weight capacity 25 kg per shelf
- More stability
- Easy to install
- 2 x Shelves per set
- Soft-close





| DESCRIPTION | CODE | + | ADD | SIZE | FINISH |
|---------------------|--------------|---|-----------------|--------|----------|
| | | | NOVA PRO RUNNER | | |
| SOLID BASE PULL-OUT | 002+GRASS | | F101108277L X 2 | 150 MM | CHROME |
| SOLID BASE PULL-OUT | 002+GRAPHITE | | F101108277L X 2 | 150 MM | GRAPHITE |

| DESCRIPTION | CODE | | SIZE | FINISH |
|-------------------------|------|--|--------|--------|
| BOTTLE RACK DIVIDER KIT | 065+ | | 150 MM | CLEAR |

FEATURES:

- Soft-close
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Solid base
- Available in Chrome and Graphite
- Access from both sides
- Left hand runner mounting



| DESCRIPTION | CODE | + | ADD | SIZE | FINISH |
|---------------------|--------------|---|-----------------|--------|----------|
| | | | NOVA PRO RUNNER | | |
| SOLID BASE PULL-OUT | 004+GRASS | | F101108276211 | 300 MM | CHROME |
| SOLID BASE PULL-OUT | 004+GRAPHITE | | F101108276211 | 300 MM | GRAPHITE |

| DESCRIPTION | CODE | | SIZE | FINISH |
|-------------------------|----------|--|--------|----------|
| BOTTLE RACK DIVIDER KIT | 066+ | | 300 MM | CHROME |
| BOTTLE RACK DIVIDER KIT | 066+GREY | | 300 MM | GRAPHITE |

FEATURES: Soft-close or Push to open
 Weight capacity - 40 kg
 Full extension drawer slide
 Fully synchronised
 Solid base
 Available in Chrome and Graphite



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|------|----------|--------------------------------|
| LAUNDRY BIN (RUNNERS INCLUDED) | 590 | W 450 MM | WHITE BASKET / DARK GREY FRAME |

| | |
|------------------|---|
| FEATURES: | <ul style="list-style-type: none"> Soft-close Over extension runners 40 kg carrying capacity Runners included |
|------------------|---|



| DESCRIPTION | CODE | + | ADD | + | ADD | FINISH |
|--------------------|---------------|---|----------------|---|---------------|----------|
| | | | NOVAPRO RUNNER | | NOVAPRO SIDES | |
| SINK DRAWER 900 MM | 720A / 900GRP | | F101108276211 | | F100103123211 | GRAPHITE |



FEATURES: Undersink organising
 2 movable trays and dividers
 Sheet metal base
 Installation to drawer front with screws
 Works with Nova Pro Scala runner and drawer sides



| DESCRIPTION | CODE | FINISH |
|---------------------------|---------------|----------|
| UTILITY BIN DRAWER 900 MM | 720B / 900GRP | GRAPHITE |



FEATURES: Can be used for recycling or organising
 Installation inside the drawer
 Fits Nova Pro Scala 900 mm drawer box
 Total bin capacity is 36 L
 40 kg or 70 kg runner option



| DESCRIPTION | CODE | FINISH |
|--------------------|--------------|----------|
| BASE TRAY 900 MM | 098 / 900GRP | GRAPHITE |
| PLATE HOLDER METAL | 097P | GRAPHITE |
| BOWL HOLDER METAL | 097C | GRAPHITE |

FEATURES: Organising drawer for plates, bowls, cups and glasses
 Installation inside the drawer
 Fits a Nova Pro Scala 900 mm drawer box
 Dismountable to contain the spread of bacteria
 40 kg or 70 kg runner option



| DESCRIPTION | CODE | + | SIZE | CAPACITY |
|------------------------|------|-----------------|--------|-----------|
| | | NOVA PRO RUNNER | | |
| PULL-OUT RECYCLING BIN | 564 | F101108276211 | 300 MM | 35 LITRES |
| PULL-OUT RECYCLING BIN | 560 | F101108276211 | 400 MM | 35 LITRES |



FEATURES: Soft-close or Push to open
 Weight capacity - 40 kg
 Full extension drawer slide
 Fully synchronised
 Concealed runner
 Fixed shelf
 Height 560
 Graphite Colour



| DESCRIPTION | CODE | + | SIZE | CAPACITY |
|------------------------|------|-----------------|--------|-----------|
| | | NOVA PRO RUNNER | | |
| PULL-OUT RECYCLING BIN | 561 | F101108276211 | 450 MM | 70 LITRES |
| PULL-OUT RECYCLING BIN | 562 | F101108276211 | 500 MM | 70 LITRES |



FEATURES: Soft-close or Push to open
 Weight capacity - 40 kg
 Full extension drawer slide
 Fully synchronised
 Concealed runner
 Fixed shelf
 Height 560
 Graphite Colour



| DESCRIPTION | CODE | + | SIZE | CAPACITY |
|------------------------|------|-----------------|--------|-----------|
| | | NOVA PRO RUNNER | | |
| PULL-OUT RECYCLING BIN | 563 | F101108276211 | 600 MM | 85 LITRES |



FEATURES: Soft-close or Push to open
 Weight capacity - 40 kg
 Full extension drawer slide
 Fully synchronised
 Concealed runner
 Fixed shelf
 Height 560
 Graphite Colour



| DESCRIPTION | CODE | + | ADD | CAPACITY | FINISH |
|----------------------|------|---|-----------------------|-----------|----------|
| | | | NOVAPRO RUNNER 500 MM | | |
| RECYCLING BIN 600 MM | 589 | | F101108276211 | 80 LITRES | GRAPHITE |



FEATURES: 2 Bin solution for a 600 mm unit
80 L bin capacity
40 kg or 70 kg runner option
Also available for Tipmatic or Sensomatic



| DESCRIPTION | CODE | + | ADD | FINISH |
|----------------------|------|---|-----------------------|-----------------|
| | | | NOVAPRO RUNNER 450 MM | |
| UNDERSINK BIN 600 MM | 700B | | F101108273211 | GRAPHITE / GREY |



FEATURES: Fits under a sink for a 600 mm unit
40 kg or 70 kg runner option
36 L bin capacity
Runner length of 450 mm



| DESCRIPTION | CODE | SIZE | CAPACITY |
|--------------------------|------|--------|-----------|
| AUTO OPEN BIN BASE MOUNT | 520 | 450 MM | 32 LITRES |



FEATURES: Opens with the door
Base mounted
Double bin
Fits under sink
Height - 380 mm
Bin Depth - 460 mm
Grey and white colour



| DESCRIPTION | CODE | SIZE | CAPACITY |
|-------------------------------|------|--------|-----------|
| PULL-OUT WASTE BIN BASE MOUNT | 540 | 300 MM | 21 LITRES |



FEATURES: Base mounted
Fits under sink
Height - 400 mm
Bin Depth - 460 mm
Grey and white colour



| DESCRIPTION | CODE | COLOUR | CAPACITY |
|----------------------|------|--------|-----------|
| SIGE TOMMI WASTE BIN | 501 | GREY | 24 LITRES |



FEATURES: Door mounted
Easy installation
Includes lid and frame
Height: 440 mm
Bin Depth: 230 mm
Width: 290 mm



| DESCRIPTION | CODE | COLOUR | CAPACITY |
|----------------------|---------|----------|-----------|
| SIGE WASTE BIN LOOSE | 560/LID | GRAPHITE | 35 LITRES |

FEATURES: Allow for custom built bin drawers
Includes lid to lock out odours
Height: 540 mm
Bin Depth: 240 mm
Width: 375 mm



| DESCRIPTION | CODE | SIZE | CAPACITY |
|-----------------|----------|--------|----------|
| COUNTER TOP BIN | IRC005PP | 300 MM | 8 LITRE |

FEATURES: Bin intergrated into counter top
Removeable
Easy access



| DESCRIPTION | CODE | SIZE | | | FINISH |
|-------------------------|-----------------|------|-----|-----|--------|
| | | W | D | H | |
| WASTE BIN 45 L + LID | H6245 | 380 | 330 | 660 | GREY |
| BIN BRACKET FOR 45L BIN | B/BIN BRACKET | | | | WHITE |
| FLAP STAY | 356.050.00.0070 | | | | CHROME |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE |
| MOUNTING PLATE WITH HOUSING | 57010040 | 80 MM | WHITE |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING | 57010040G | 80 MM | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER NORMAL | 57008040AB | 70 MM | WHITE |
| MOUNTING PLATE WITH HOUSING | 57010040 | 80 MM | WHITE |
| KPUSH TECH WITH BUFFER NORMAL | 57008040EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING | 57010040G | 80 MM | GRAPHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|-----------|-------|----------|
| KPUSH TECH WITH MAGNET + SCREW | 57008020 | 70 MM | WHITE |
| MOUNTING PLATE WITH HOUSING | 57010040 | 80 MM | WHITE |
| KPUSH TECH WITH MAGNET + SCREW | 57008020G | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING | 57010040G | 80 MM | GRAPHITE |






| DESCRIPTION | CODE | FINISH |
|-----------------------|------------|----------|
| LIBRA H11 BRACKET SET | C010002380 | STEEL |
| COVER CAP WHITE L | 63490710AB | WHITE |
| COVER CAP WHITE R | 63490720AB | WHITE |
| COVER CAP GRAPHITE L | 63490710EE | GRAPHITE |
| COVER CAP GRAPHITE R | 63490720EE | GRAPHITE |

FEATURES:

Used for any type of furniture: living room, kitchen and bathroom
Adjustment is easy accessible
Depth and vertical adjustment

Red bolt is a lock device for unit
Very high load capacity of between 120 kg - 200 kg
*Depends on cabinet size, quality of wood, wall quality etc.






| DESCRIPTION | CODE | FINISH |
|---------------------------------|------------|--------|
| SHELF SUPPORT GLASS WITH RUBBER | 10208030YA | NICKEL |
| SHELF SUPPORT GLASS WITH RUBBER | 10208030YQ | NIGHT |
| SHELF SUPPORT WOOD - NO RUBBER | 10208020YA | NICKEL |
| SHELF SUPPORT WOOD - NO RUBBER | 10208020YQ | NIGHT |
| RUBBER PAD ONLY | 10208060AA | CLEAR |

| | DESCRIPTION | CODE |
|---|--|------------------------------------|
|  | SHELF SUPPORT CLEAR SHELF SUPPORT WHITE | 517.006.00.0051 517.006.61.0051 |
|  | SHELF SUPPORT NICKEL | F069073459253 |
|  | SHELF SUPPORT GLASS | 517.206.65.0015 |
|  | SHELF SUPPORT PIN | 517.006.01.0015 |

FEATURES:

New modern design
Use for glass or wood shelves
Bespoke layer of rubber can be added or removed

Ø 5 mm pin size





| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------|------------------|---------------|--------|
| WARDROBE LIFT - 15 KG | W/SUPER LIFT/BLK | 750 - 1150 MM | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|----------------------|--------------|---------------|--------|
| WARDROBE LIFT - 20KG | W/SUPER LIFT | 750 - 1150 MM | GREY |





| DESCRIPTION | CODE | SIZE | FINISH |
|--|------------|--------|--------|
| RECESSING DOOR SYS HEAVY DUTY+HINGES+BAR | KV8092/500 | 500 MM | BLACK |
| RECESSING DOOR SYS HEAVY DUTY+HINGES+BAR | KV8092/600 | 600 MM | BLACK |

FEATURES: Height up to 2000 mm
 Door thickness up to 22 mm
 Gear system
 No Sagging of doors

Up to 2500mm if you add centre pocket slide
 Up to a maximum weight capacity of 35 Kg per door
 Inset or overlay of 6 mm application only



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------------|-------------------|-----------------|----------|
| SHOE PULLOUT ADJ 600 - 750 MM | B/SHOE P/O 600WHT | 450 MM X 170 MM | WHITE |
| SHOE PULLOUT ADJ 600 - 750 MM | B/SHOE P/O 600GRP | 450 MM X 170 MM | GRAPHITE |
| SHOE PULLOUT ADJ 750 - 900 MM | B/SHOE P/O 750WHT | 450 MM X 170 MM | WHITE |
| SHOE PULLOUT ADJ 750 - 900 MM | B/SHOE P/O 750GRP | 450 MM X 170 MM | GRAPHITE |




| DESCRIPTION | CODE | SIZE | FINISH |
|---------------------------|------------------------|-------------------------|--------|
| COAT RAIL OVAL | B/RAIL | 15 MM X 30 MM X 2500 MM | CHROME |
| ROD HOLDER | B/ROD HOLDER | 15 MM X 45 MM | CHROME |
| CENTRE SUPPORT | B/HOLDER SUPPORT | 15 MM X 70 MM | CHROME |
| COAT RAIL OVAL BLACK | B/RAIL BLK | 15 MM X 30 MM X 2500 MM | BLACK |
| ROD HOLDER BLACK | B/ROD HOLDER BLK | 15 MM X 45 MM | BLACK |
| CENTRE SUPPORT BLACK | B/HOLDER SUPPORT BLK | 15 MM X 70 MM | BLACK |
| ROD HOLDER BLACK B/FIX | B/ROD HOLDER BLK B/FIX | 15 MM X 65 MM | BLACK |
| HANGING ROD HOLDER (PAIR) | VW009_BLK | 15 MM X 110 MM | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------|------------|-------------------------|--------|
| OVAL RAIL | B/RAIL ALU | 19 MM X 34 MM X 3000 MM | ALU |
| HANG RAIL BRACKET | T128W | 20 MM X 35 MM | WHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------|---------|----------------|--------|
| CHROME WIRE BASKET | V/B400C | 400 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B450C | 450 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B500C | 500 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B600C | 600 MM CARCASS | CHROME |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------------|--------|--------|--------|
| CURVED WINE BOTTLE RACK | WR240D | 400 MM | CHROME |
| CURVED WINE BOTTLE RACK | WR250D | 500 MM | CHROME |
| CURVED WINE BOTTLE RACK | WR260D | 600 MM | CHROME |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------|------------|--------|--------|
| VOLPATO LEG | C/LEG 100P | 100 MM | BLACK |
| VOLPATO LEG | C/LEG 150P | 150 MM | BLACK |
| SKIRTING CLIP WOOD | C/CLIP/P | - | BLACK |
| SKIRTING CLIP ALU | C/CLIP/K | - | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|------------------------|--------|-------------|
| BRUSHED ALU KICK PLATE 100 MM X 4 M | AKP 100 BRU | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM X 4 M | AKP 150 BRU | 150 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 100 MM FLEXIBLE CORNER | AKP 100 BRU FLEX CNR | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM FLEXIBLE CORNER | AKP 150 BRU FLEX CNR | 150 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 100 MM 90 DEG FIXED CORNER | AKP 100 BRU 90 DEG CNR | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM 90 DEG FIXED CORNER | AKP 150 BRU 90 DEG CNR | 150 MM | BRUSHED ALU |



| DESCRIPTION | CODE | SIZE | | | FINISH |
|-----------------|------------------------|--------|----------|---------|--------|
| | | W | X | D X H | |
| OMNI TRAP COVER | TRAP/SHELF COVER WHITE | 240 MM | X 120 MM | X 83 MM | WHITE |
| OMNI TRAP COVER | TRAP/SHELF COVER GREY | 240 MM | X 120 MM | X 83 MM | GREY |



| DESCRIPTION | CODE | SIZE | | | FINISH |
|--------------------|-------------|--------|---------|---|----------|
| | | W | X | H | |
| VOLPATO TRAP COVER | 35101660WH | 680 MM | X 78 MM | | WHITE |
| VOLPATO TRAP COVER | 35101660SIL | 680 MM | X 78 MM | | GREY |
| VOLPATO TRAP COVER | 35101660GRP | 680 MM | X 78 MM | | GRAPHITE |





| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------|------------|-----------------|----------|
| | | W X H | |
| OMNI SPICE TRAY | OST/450GRP | 387 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/450WH | 387 MM X 480 MM | WHITE |
| OMNI SPICE TRAY | OST/500GRP | 437 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/500WH | 437 MM X 480 MM | WHITE |
| OMNI SPICE TRAY | OST/600GRP | 537 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/600WH | 537 MM X 480 MM | WHITE |



| DESCRIPTION | CODE | FINISH |
|-------------------------------|--------|--------|
| GAS LIFT 80N SOFT-CLOSE WOOD | MZ3212 | STEEL |
| GAS LIFT 100N SOFT-CLOSE WOOD | MZ3213 | STEEL |
| GAS LIFT 120N WOOD | MZ3214 | STEEL |
| GAS LIFT 150N WOOD | MZ3215 | STEEL |
| GAS LIFT ALU 80N | MZ6146 | STEEL |
| GAS LIFT ALU 100N | MZ6147 | STEEL |



| DESCRIPTION | CODE | FINISH |
|-------------|--------|--------|
| MAXI B LIFT | MAXI.B | STEEL |
| MAXI C LIFT | MAXI.C | STEEL |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------|------------|------------|--------|
| BROOM CLIP | BROOM CLIP | 20 - 30 MM | BLACK |



| DESCRIPTION | CODE | SIZE | FINISH |
|--------------------------------|---------------|-----------------|--------|
| TOP CABINET SUSPENSION FITTING | F155145207210 | 130 KG CAPACITY | STEEL |
| TOP CABINET SUSPENSION RAIL | F155145236513 | 125 MM | STEEL |



| DESCRIPTION | CODE | SIZE | FINISH |
|----------------------|-----------------|-------|--------|
| STICK ON DOOR BUMPER | F146073835253 | 7 MM | CLEAR |
| STICK ON DOOR BUMPER | F146073836256 | 10 MM | CLEAR |
| DOOR BUMPER DRILL IN | 630.000.03.0850 | 5 MM | CLEAR |



| DESCRIPTION | CODE | SIZE | FINISH |
|----------------|--------|--------------|--------|
| CAMFIX METAL | T3201 | 20 Ø X 13 MM | NICKLE |
| CAMFIX PLASTIC | T3201B | 20 Ø X 13 MM | BROWN |
| CAMFIX PLASTIC | T3201W | 20 Ø X 13 MM | WHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------|--------|--------------|--------|
| WEDGEFIX | T3241 | 20 Ø X 12 MM | WHITE |
| WEDGEFIX | T3241B | 20 Ø X 12 MM | BROWN |



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------|-------|--------------|--------|
| DOWEL 5 MM EURO | T3400 | 5 Ø X 11 MM | ZINC |
| DOWEL 5 MM EURO SHORT | T3410 | 5 Ø X 7.5 MM | ZINC |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------|-----------|-------------|--------|
| DOWEL M4 | T3470.009 | M4 X 7.5 MM | ZINC |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------|-------|------------------|--------|
| SLEEVE | T3051 | 5 Ø X M4 X 15 MM | RAW |



| DESCRIPTION | CODE | SIZE | FINISH |
|-------------------|-------|--------------|--------|
| CAM FITTING 15 MM | T3150 | 15 Ø X 15 MM | ZINC |



| DESCRIPTION | CODE | SIZE | FINISH |
|----------------------------|--------|------------|--------|
| DOWELL FITTING WITH SLEEVE | CB2620 | 50 X 34 MM | STEEL |



| DESCRIPTION | CODE | SIZE | FINISH |
|----------------|-------|------------|--------|
| DOWEL STEEL M6 | T3462 | M6 X 34 MM | RAW |
| DOWEL STEEL M4 | T3470 | M4 X 34 MM | RAW |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|-------|-------------|--------|
| QUICKFIT BOLT 8 X 34 MM EXPANDING DOWEL | T3491 | 8 Ø X 34 MM | ZINC |




| DESCRIPTION | CODE | SIZE | | FINISH |
|---------------------------|---------------|-------|------|--------|
| | | W | H | |
| KD 9000 BIC PIN | F148043053123 | - | - | NICKEL |
| KD 9000 BIC SHELF SUPPORT | F148043036551 | - | - | NICKEL |
| KD 9000 BIC HOUSING | F148043056123 | 19 MM | 8 MM | WHITE |



| DESCRIPTION | CODE | SIZE | FINISH |
|---|-----------------|----------------|--------|
| EURO SCREW COUNTERSUNK | 707.360.61.1015 | 6 MM X 10 MM | NICKEL |
| EURO SCREW COUNTERSUNK | 707.360.61.3015 | 6 MM X 13 MM | NICKEL |
| EURO SCREW PAN HEAD | 707.362.61.3015 | 6 MM X 13 MM | NICKEL |
| EURO SCREW COUNTERSUNK FOR GRASS PRODUCTS | F145083544599 | 6 MM X 11.5 MM | NICKEL |



| DESCRIPTION | CODE | SIZE | FINISH |
|-----------------------|-----------------|--------------|--------|
| CONNECTING SCREW 5 MM | 499.040.27.0025 | 32 MM X 5 MM | NICKEL |



INNOVATION AND TRADITION

We are pioneers.

75 years of pioneering spirit.

Whether unique movement systems or elegant opening systems for handle-free fronts: Our fascinating inventions are sustainably changing the world of furniture today - just like they always have.

INNOVATION AND TRADITION

GRASS has always been a pioneer in the furniture industry. From the first concealed hinge to the invention of the double-wall drawer, the history of GRASS has been shaped by visionary engineering expertise and countless groundbreaking products.

www.grass.eu

G*GRASS®



GRASS supplies
the leading furniture
manufacturers
in the world.



GOOD DESIGN.

 @grassmovementsystems

 /grassza

 /GRASSZA

 /grassmovementsystems

www.grass.eu

GRASS ZA (PTY) LTD.

2 Graph Avenue
Montague Gardens
Cape Town, South Africa

T +27 21 529 8040
F +27 21 529 8041
info@grass.co.za

Unit 6, Northlands Retail Park
Epsom Road, North Riding
Johannesburg 2169, South Africa

T +27 11 801 9500